

Background

In turbulent free-surface flow, the deformation of the free-surface leads to entrainment of air bubbles. To ensure safe operation of hydraulic structures, and to optimize its performance, the amount of entrained air and its mixing within the flow must be accurately predicted.

The hydraulics of aerated flows can greatly benefit from insights provided by numerical simulations. An ideal numerical model has to be fast in the definition of a macroscopic interface and at the same time be precise enough to take into account the formation of bubbles through the free surface. Due to its complexity, an accurate prediction of the air entrainment process is an ambitious goal for most computational fluids dynamics tools. Some attempts have been made to capture the physical behavior of the air entrainment process into computational fluid dynamics models (CFD). Nevertheless, more research are needed to get a reliable solver for the generic air entrainment phenomena.



Objective

The objective of this study is to investigate whether a numerical model can reproduce the air-water interaction in hydraulic structures. This will be done using the open-source software, OpenFOAM, which solves the mass- and momentum equations on a three dimensional grid. The capacity of the simulation tool in predicting the air entrainment process will be investigated, with the aim of improving the relevant solver.



Silje Krecken Almeland



Department of Civil
and Environmental
Engineering

2016 - 2020

Numerical modeling
of air entrainment in
hydraulic structures

Supervisor:
Nils Reidar Bøe Olsen

 NTNU