

## CHIRONOMIDAE TYPES IN THE MUSEUM OF ZOOLOGY, BERGEN

**Elisabeth Stur & Trond Andersen**

Museum of Zoology, University of Bergen, Muséplass 3, N-5007 Bergen, Norway  
(e-mail: trond.andersen@zmb.uib.no)

The International Project Collection at the Museum of Zoology, University of Bergen, contains the holotypes of 239 species of Chironomidae, and paratypes of an additional 133 species, Table 1. More than 1750 slides with type material are housed in the collection. Most of the types belong in the subfamilies

Orthocladiinae and Chironominae, but types of Usambaromyiinae, Podonominae, Tanytropinae, Buchonomyiinae, Diamesinae and Prodiamesinae are also represented.

Inquiries about the Chironomidae in the International Project Collection should be addressed to Trond Andersen.

**Table 1. Chironomidae species with types deposited in the International Project Collection at the Museum of Zoology in Bergen.**

Abbreviations: HT = holotype, PT = Paratype, m = male, f = female, p = pupae, l = larvae.

type-no	genus	species / note	author / reference	type	sex / stage
<b>USAMBAROMYIINAE</b>					
155	<i>Usambaromyia</i>	<i>nigrala</i>	Andersen et Sæther, 1994a	HT, PT	m, f
<b>PODONOMINAE</b>					
	<i>Lasiodiamesa</i>	<i>brusti</i>	Sæther, 1969	PT	m, f, p, l
	<i>Nepodonomas</i>	<i>similis</i>	Chaudhuri et Ghosh, 1981	PT	m
<b>TANYPODINAE</b>					
	<i>Ablabesmyia</i>	<i>maculitibialis</i>	Chaudhuri et al., 1983	PT	m
	<i>Clinotanypus</i>	<i>vomerus</i>	Chaudhuri et Debnath, 1984	PT	m
	<i>Pentaneurella</i>	<i>katterjokki</i>	Fittkau et Murray, 1983	PT	l
	<i>Tanypus</i>	<i>grandis</i>	Chaudhuri et al., 1984	PT	m, f
	<i>Tanypus</i>	<i>lucidus</i>	Chaudhuri et al., 1984	PT	m
	<i>Tanypus</i>	<i>tenebrosus</i>	Chaudhuri et al., 1984	PT	m
<b>BUCHONOMYIINAE</b>					
178	<i>Buchonomyia</i>	<i>brundini</i>	Andersen et Sæther, 1994b	HT, PT	m
	<i>Buchonomyia</i>	<i>burmanica</i>	Brundin et Sæther, 1978	PT	f
<b>DIAMESINAE</b>					
	<i>Diamesa</i>	<i>freemani</i>	Willlassen et Cranston, 1986	PT	m, f, p, l
	<i>Diamesa</i>	<i>fonticola</i>	Sæther, 1969	PT	f, p, l
106	<i>Diamesa</i>	<i>khumbugelida</i>	Sæther et Willlassen, 1987	HT, PT	m, f
103	<i>Diamesa</i>	<i>kohshimai</i>	Sæther et Willlassen, 1987	HT, PT	m, f, p
83	<i>Diamesa</i>	<i>lupus</i>	Willlassen, 1985	HT, PT	m, f, p
105	<i>Diamesa</i>	<i>praecipua</i>	Sæther et Willlassen, 1987	HT, PT	m, f
82	<i>Diamesa</i>	<i>saetheri</i>	Willlassen, 1985	HT, PT	m, f, p, l
81	<i>Diamesa</i>	<i>serratosioi</i>	Willlassen, 1985	HT, PT	m, f
104	<i>Diamesa</i>	<i>yalavia</i>	Sæther et Willlassen, 1987	HT, PT	m, f, p
114	<i>Lappodiamesa</i>	<i>boltoni</i>	Sæther et Willlassen, 1988	HT, PT	m, f, p, l
	<i>Protanypus</i>	<i>hamiltoni</i>	Sæther, 1975a	PT	m, p, l
	<i>Protanypus</i>	<i>ramosus</i>	Sæther, 1975a	PT	m, f, p, l
	<i>Protanypus</i>	<i>saetheri</i>	Wiederholm, 1975	PT	m
<b>PRODIAMESINAE</b>					
40	<i>Compteroomesa</i>	<i>oconeensis</i>	Sæther, 1981a	HT	m

	<i>Monodiamesa</i>	<i>depectinata</i>	Sæther, 1973	PT	m, p, l
244	<i>Monodiamesa</i>	<i>mariae</i>	Andersen, 1996b	HT, PT	m, f
	<i>Monodiamesa</i>	<i>prolilobata</i>	Sæther, 1973	PT	m
	<i>Monodiamesa</i>	<i>tuberculata</i>	Sæther, 1973	PT	l
100	<i>Odontomesa</i>	<i>ferringtoni</i>	Sæther, 1985b	HT, PT	m
99	<i>Odontomesa</i>	<i>fulva nearctica</i>	Sæther, 1985b	HT, PT	m, p, l
<b>ORTHOCLADIINAE</b>					
	<i>Acamptocladius</i>	<i>reissi</i>	Cranston et Sæther, 1982	PT	m, p
25	<i>Antillocladius</i>	<i>antecalvus</i>	Sæther, 1981c	HT, PT	m, f
45	<i>Antillocladius</i>	<i>arcuatus</i>	Sæther, 1982	HT	m
46	<i>Antillocladius</i>	<i>pluspilalus</i>	Sæther, 1982	HT	m
	<i>Antillocladius</i>	<i>scalpellatus</i>	Wang et Sæther, 1993a	PT	m
301	<i>Antillocladius</i>	<i>skartveiti</i>	Andersen et Contreras-Ramos, 1999	HT	m
	<i>Antillocladius</i>	<i>zhengi</i>	Wang et Sæther, 1993a	HT	m
93	<i>Apometriocnemus</i>	<i>fontinalis</i>	Sæther, 1985h	HT	m
	<i>Baeoctenus</i>	<i>bicolor</i>	Sæther, 1976	PT	m, f
	<i>Boreosmittia</i>	<i>inariensis</i>	Tuiskunen, 1986		m
	<i>Botryocladus</i>	<i>grapeth</i>	<i>in</i> Tuiskunen & Lindeberg 1986	HT, PT	
	<i>Botryocladus</i>	<i>mapuche</i>	Cranston et Edward, 1999	PT	p
	<i>Brillia</i>	<i>bifasciata</i>	Cranston et Edward, 1999	PT	p
	<i>Brillia</i>	<i>laculata</i>	Wang et al., 1994	HT	m
	<i>Brillia</i>	<i>retifinis</i>	Oliver et Roussel, 1983	PT	m
	<i>Bryophaenocladius</i>	<i>bicolor</i>	Sæther, 1969	PT	m
375	<i>Bryophaenocladius</i>	<i>cristatus</i>	Wang, Sæther et Andersen, 2002	HT, PT	m
127	<i>Bryophaenocladius</i>	<i>faegrii</i>	Wang, Sæther et Andersen, 2002	HT, PT	m
376	<i>Bryophaenocladius</i>	<i>flagelligus</i>	Schnell, 1991	HT, PT	m, f, p, l
340	<i>Bryophaenocladius</i>	<i>imberbus</i>	Wang, Sæther et Andersen, 2002	HT	m
	<i>Bryophaenocladius</i>	<i>longipenis</i>	Andersen et Schnell, 2000	HT, PT	m
	<i>Bryophaenocladius</i>	<i>manifestus</i>	Ghosh et Chaudhuri, 1983	PT	m
341	<i>Bryophaenocladius</i>	<i>mazumbaiensis</i>	Ghosh et Chaudhuri, 1983	PT	m
51	<i>Bryophaenocladius</i>	<i>psilacrus</i>	Andersen et Schnell, 2000	HT, PT	m
377	<i>Bryophaenocladius</i>	<i>spinicaudus</i>	Sæther, 1982	HT	m
351	<i>Bryophaenocladius</i>	<i>thaleri</i>	Wang, Sæther et Andersen, 2002	HT, PT	m
342	<i>Bryophaenocladius</i>	<i>usambarensis</i>	Willassen, 1996	HT	m
	<i>Chaetocladius</i>	<i>crassisaetosus</i>	Andersen et Schnell, 2000	HT	m
	<i>Chaetocladius</i>	<i>ligni</i>	Tuiskunen, 1986	PT	m
	<i>Chaetocladius</i>	<i>muliebris</i>	<i>in</i> Tuiskunen & Lindeberg 1986	PT	p, l
	<i>Chaetocladius</i>	<i>oliveri</i>	Cranston et Oliver 1988	PT	
	<i>Chaetocladius</i>	<i>orientalis</i>	Tuiskunen, 1986	PT	
30	<i>Compterosmittia</i>	<i>dentispina</i>	<i>in</i> Tuiskunen & Lindeberg 1986	PT	m
	<i>Compterosmittia</i>	<i>clavigera</i>	Sæther, 1969	PT	m, f
49	<i>Compterosmittia</i>	<i>virga</i>	Chaudhuri et Ghosh, 1982	PT	m
157	<i>Colosmittia</i>	<i>clavata</i>	Sæther, 1981c	HT, PT	m, f
	<i>Cricotopus (Cricotopus)</i>	<i>bifurcatus</i>	Sæther, 1982	HT	m
27	<i>C. (Cricotopus)</i>	<i>candidibia</i>	Wang, 1998	PT	m
	<i>C. (Cricotopus)</i>	<i>mackenziensis</i>	Andersen et Sæther, 1993a	HT	m
	<i>C. (Cricotopus)</i>	<i>macraei</i>	Cranston et Oliver, 1988	PT	m
28	<i>C. (Cricotopus)</i>	<i>nudisquama</i>	Sæther, 1981c	HT	m
26	<i>C. (Cricotopus)</i>	<i>pilocapsulus</i>	Oliver, 1977	PT	m, l
	<i>C. (Cricotopus)</i>	<i>tenuisetosus</i>	Sæther, 1971	PT	m, f
	<i>C. (Cricotopus)</i>	<i>myriophylli</i>	Sæther, 1981c	HT	m
245	<i>Diplosmittia</i>	<i>beluina</i>	Sæther, 1981c	HT, PT	m, f, f
101	<i>Diplosmittia</i>	<i>carinata</i>	Chaudhuri et Ghosh, 1980	PT	m
246	<i>Diplosmittia</i>	<i>forficatus</i>	Oliver, 1984	PT	m, f, l
34	<i>Diplosmittia</i>	<i>harrisoni</i>	Andersen, 1996a	HT	m
174	<i>Doitrix</i>	<i>amegabei</i>	Sæther, 1985e	HT, PT	m
	<i>Doitrix</i>	<i>dillonae</i>	Andersen, 1996a	HT	m
			Sæther, 1981c	PT	m
			Sæther et Andersen, 1996	PT	m
			Cranston et Oliver, 1988	PT	m

	<i>Doitrix</i>	<i>ensifer</i>	Sæther et Sublette, 1983	PT	m
56	<i>Doitrix</i>	<i>hamiltoni</i>	Sæther et Sublette, 1983	HT, PT	m
173	<i>Doitrix</i>	<i>longipes</i>	Sæther et Andersen, 1996	HT	m
74	<i>Doitrix</i>	<i>parcivillosa</i>	Sæther et Sublette, 1983	HT, PT	m, p, l
55	<i>Doitrix</i>	<i>villosa</i>	Sæther et Sublette, 1983	HT, PT	m, p, l
39	<i>Doncricotopus</i>	<i>bicaudatus</i>	Sæther, 1981b	HT	m, p, l
	<i>Eukiefferiella</i>	<i>changbaiensis</i>	Wang et Halvorsen 2002	PT	m, f
	<i>Eukiefferiella</i>	<i>paucunca</i>	Sæther, 1969	PT	m, p
	<i>Eukiefferiella</i>	<i>vitracies</i>	Sæther, 1969	PT	m
	<i>Euryhapsis</i>	<i>cilium</i>	Oliver, 1981	PT	m, f
	<i>Euryhapsis</i>	<i>fusciropes</i>	Sæther et Wang, 1992	PT	m
219	<i>Georthocladius</i>	<i>amakyei</i>	Sæther et Andersen, 1996	HT	m
72	<i>Georthocladius</i>	<i>curticornus</i>	Sæther et Sublette, 1983	HT, PT	f, p, l
75	<i>Georthocladius</i>	<i>fimbriosus</i>	Sæther et Sublette, 1983	HT	m, l
220	<i>Georthocladius</i>	<i>longicalcaneum</i>	Sæther et Andersen, 1996	HT, PT	m
	<i>Georthocladius</i>	<i>platystylus</i>	Sæther et Sublette, 1983	PT	m
57	<i>Georthocladius</i>	<i>triquetrus</i>	Sæther et Sublette, 1983	HT	m
79	<i>Gymnometriocnemus</i>	<i>acigus</i>	Sæther, 1983c	HT	m, f, p
	<i>Hanocladius</i>	<i>longipes</i>	Sæther et Wang 2002	PT	m
166	<i>Heleniella</i>	<i>nebulosa</i>	Andersen et Wang, 1997	HT	m, f
92	<i>Heleniella</i>	<i>parva</i>	Sæther, 1985i	HT, PT	m
	<i>Heterotanytarsus</i>	<i>nudalus</i>	Sæther, 1975b	PT	m, f, p
	<i>Heterotanytarsus</i>	<i>perennis</i>	Sæther, 1975b	PT	m, p, l
129	<i>Heterotrissocladius</i>	<i>boltoni</i>	Sæther, 1992c	HT, PT	m, f, p, l
115	<i>Heterotrissocladius</i>	<i>brundini</i>	Sæther et Schnell, 1988b	HT, PT	m, f, p, l
	<i>Heterotrissocladius</i>	<i>changi</i>	Sæther, 1975c	PT	m, f, l
	<i>Heterotrissocladius</i>	<i>cooki</i>	Sæther, 1975c	PT	m
	<i>Heterotrissocladius</i>	<i>hirtapex</i>	Sæther, 1975c	PT	m, f, p, l
	<i>Heterotrissocladius</i>	<i>latilaminus</i>	Sæther, 1975c	PT	f, p, l
	<i>Heterotrissocladius</i>	<i>oliveri</i>	Sæther, 1975c	PT	m, f, p, l
	<i>Hydrobaenus</i>	<i>conformis</i>			
		<i>labradorensis</i>	Sæther, 1976	PT	m, l
		<i>hudsoni</i>	Sæther, 1977b	PT	m
122	<i>Hydrobaenus</i>	<i>kondoi</i>	Sæther, 1989b	HT, PT	m, f, p, l
		<i>laticaudus</i>	Sæther, 1976	PT	m
		<i>martini</i>	Sæther, 1976	PT	m
		<i>pilipodex</i>	Sæther, 1976	PT	m, l
		<i>spinnatis</i>	Sæther, 1976	PT	m, f
121	<i>Hydrobaenus</i>	<i>travisi</i>	Sæther, 1989b	HT, PT	m
		<i>virgo</i>	Sæther, 1976	PT	f
158	<i>Ionthosmittia</i>	<i>caudiga</i>	Sæther et Andersen, 1995	HT, PT	m
154	<i>Lerheimia</i>	<i>aviculata</i>	Andersen et Sæther, 1993b	HT	m
152	<i>Lerheimia</i>	<i>scopulata</i>	Andersen et Sæther, 1993b	HT, PT	m
153	<i>Lerheimia</i>	<i>villangulata</i>	Andersen et Sæther, 1993b	HT	m
123	<i>Limnophyes</i>	<i>aagaardi</i>	Sæther, 1990	HT, PT	m
112	<i>Limnophyes</i>	<i>anderseni</i>	Sæther, 1990	HT, PT	m
119	<i>Limnophyes</i>	<i>angelicae</i>	Sæther, 1990	HT	m
113	<i>Limnophyes</i>	<i>bidumus</i>	Sæther, 1990	HT, PT	m, f, p
	<i>Limnophyes</i>	<i>bullus</i>	Wang et Sæther, 1993b	PT	m, f
		<i>carolinensis</i>	Sæther, 1990	PT	m
108	<i>Limnophyes</i>	<i>doughmani</i>	Sæther, 1990	HT	m
109	<i>Limnophyes</i>	<i>edwardsi</i>	Sæther, 1990	HT, PT	m, f, p, l
	<i>Limnophyes</i>	<i>er</i>	Sæther, 1985c	PT	m
126	<i>Limnophyes</i>	<i>gelasinus</i>	Sæther, 1990	HT	m
		<i>hastulatus</i>	Sæther, 1975d	PT	m
		<i>hudsoni 1)</i>	Sæther, 1975d	PT	m, f
		<i>inanispatina</i>	Langton et Moubayed, 2001	HT	m, p
	<i>Limnophyes</i>	<i>lobiscus</i>	Sæther, 1990	PT	m
120	<i>Limnophyes</i>	<i>madeirae</i>	Sæther, 1990	HT	m
	<i>Limnophyes</i>	<i>margaretae</i>	Sæther, 1975d	PT	m
	<i>Limnophyes</i>	<i>ninae</i>	Sæther, 1975d	PT	m
	<i>Limnophyes</i>	<i>nudiradius 2)</i>	Sæther, 1975d	PT	m

	<i>Limnophyes</i>	<i>orbicristatus</i>	Wang et Sæther 1993b	PT	m
	<i>Limnophyes</i>	<i>palleocestus</i>	Wang et Sæther, 1993b	PT	m
	<i>Limnophyes</i>	<i>paludis</i>	Armitage, 1985	PT	m
	<i>Limnophyes</i>	<i>recisus</i>	Sæther, 1975d	PT	m
	<i>Limnophyes</i>	<i>roquehautensis</i>	Langton et Moubayed, 2001	HT	m
110	<i>Limnophyes</i>	<i>schnelli</i>	Sæther, 1990	HT, PT	m
	<i>Limnophyes</i>	<i>spatulosus 3)</i>	Sæther, 1975d	PT	m
	<i>Limnophyes</i>	<i>spinigus</i>	Sæther, 1990	PT	m
111	<i>Limnophyes</i>	<i>torulus</i>	Sæther, 1990	HT	m
	<i>Limnophyes</i>	<i>verpus</i>	Wang et Sæther, 1993b	PT	m
29	<i>Lipurometriocnemus</i>	<i>glabalus</i>	Sæther, 1981c	HT, PT	m, f
47	<i>Lipurometriocnemus</i>	<i>vixlobatus</i>	Sæther, 1982	HT	m
156	<i>Lobosmittia</i>	<i>basilobata</i>	Sæther et Andersen, 1993	HT	m
	<i>Lopescladius</i>	<i>fittkaii</i>	Sæther, 1983b	PT	m, p
	<i>Lopescladius</i>	<i>verruculosus</i>	Sæther, 1983b	PT	p
86	<i>Mesosmittia</i>	<i>acutistylus</i>	Sæther, 1985d	HT	m
355	<i>Mesosmittia</i>	<i>annaee</i>	Andersen et Mendes, 2002b	HT, PT	m
234	<i>Mesosmittia</i>	<i>cristaga</i>	Sæther, 1996	HT	m
357	<i>Mesosmittia</i>	<i>halata</i>	Andersen et Mendes, 2002b	HT, PT	m
358	<i>Mesosmittia</i>	<i>hirta</i>	Andersen et Mendes, 2002b	HT	m
356	<i>Mesosmittia</i>	<i>glabra</i>	Andersen et Mendes, 2002b	HT, PT	m
87	<i>Mesosmittia</i>	<i>lobiga</i>	Sæther, 1985d	HT	m
88	<i>Mesosmittia</i>	<i>mina</i>	Sæther, 1985d	HT	m
89	<i>Mesosmittia</i>	<i>patrihortae</i>	Sæther, 1985d	HT, PT	m
90	<i>Mesosmittia</i>	<i>prolixa</i>	Sæther, 1985d	HT, PT	m
91	<i>Mesosmittia</i>	<i>tora</i>	Sæther, 1985d	HT	m
144	<i>Metriocnemus</i>	<i>acutus</i>	Sæther, 1995	HT	m
118	<i>Metriocnemus</i>	<i>brusti</i>	Sæther, 1989a	HT, PT	m, p, l
145	<i>Metriocnemus</i>	<i>calvescens</i>	Sæther, 1995	HT	m
	<i>Metriocnemus</i>	<i>carmencitabertarum</i>	Langton et Cobo, 1997	HT, PT	m, f, p, l
147	<i>Metriocnemus</i>	<i>caudigus</i>	Sæther, 1995	HT, PT	m
145	<i>Metriocnemus</i>	<i>dentipalpus</i>	Sæther, 1995	HT	m
149	<i>Metriocnemus</i>	<i>exilacies</i>	Sæther, 1995	HT, PT	m
148	<i>Metriocnemus</i>	<i>intergerivus</i>	Sæther, 1995	HT, PT	m, f
143	<i>Metriocnemus</i>	<i>wangi</i>	Sæther, 1995	HT, PT	m
312	<i>MollerIELLA</i>	<i>calcarella</i>	Sæther et Ekrem, 1999	HT, PT	m, f
	<i>Nanocladius</i>	<i>anderseni</i>	Sæther, 1977a	PT	m, f, p, l
	<i>Nanocladius</i>	<i>crassicornus</i>	Sæther, 1977a	PT	p
	<i>Nanocladius</i>	<i>incomptus</i>	Sæther, 1977a	PT	m, f
	<i>Nanocladius</i>	<i>minimus</i>	Sæther, 1977a	PT	m, p
	<i>Nanocladius</i>	<i>spiniplenus</i>	Sæther, 1977a	PT	p
102	<i>Oliveridia</i>	<i>hugginsi</i>	Ferrington et Sæther, 1987	HT, PT	m, f, p
	<i>O. (Euorthocladius)</i>	<i>ashei</i>	Soponis, 1990	PT	m, p, l
	<i>O. (Euorthocladius)</i>	<i>rousselae</i>	Soponis, 1990	PT	m, p, l
	<i>Parachaetocladius</i>	<i>imberbus</i>	Sæther et Sublette, 1983	PT	m
38	<i>Paracricotopus</i>	<i>glaber</i>	Sæther, 1980	HT, PT	m, f, p, l
177	<i>Parakiefferiella</i>	<i>minax</i>	Ferrington et Sæther, 1994	HT	m
	<i>Parametriocnemus</i>	<i>vespertinus</i>	Sæther, 1969	PT	m
184	<i>Paraphaenocladius</i>	<i>crassicaudatus</i>	Sæther et Wang, 1995	HT, PT	m
188	<i>Paraphaenocladius</i>	<i>exagitans longipes</i>	Sæther et Wang, 1995	HT, PT	m
189	<i>Paraphaenocladius</i>	<i>impensus contractus</i>	Sæther et Wang, 1995	HT, PT	m
187	<i>Paraphaenocladius</i>	<i>innasus</i>	Sæther et Wang, 1995	HT, PT	m
182	<i>Paraphaenocladius</i>	<i>irritus longicostatus</i>	Sæther et Wang, 1995	HT	m
186	<i>Paraphaenocladius</i>	<i>pusillus</i>	Sæther et Wang, 1995	HT, PT	m
186	<i>Paraphaenocladius</i>	<i>proprius</i>	Chaudhuri et Sinharay, 1987	PT	m
183	<i>Paraphaenocladius</i>	<i>pseudirritus nearcticus</i>	Sæther et Wang, 1995	HT, PT	m
	<i>Phycoidella</i>	<i>dentolatens 4)</i>	Sæther, 1971	PT	l
279	<i>Physoneura</i>	<i>paulseni</i>	Stur et Andersen, 2000	HT, PT	m
53	<i>Platysmittia</i>	<i>fimbriata</i>	Sæther, 1982	HT	m
	<i>Platysmittia</i>	<i>bilyji</i>	Sæther, 1985g	PT	f
	<i>Plhudsonia</i>	<i>acuticauda</i>	Sæther, 1992a	PT	m, p
44	<i>Plhudsonia</i>	<i>paritita</i>	Sæther, 1982	HT, PT	m, p

235	<i>Propsilocerus</i>	<i>sinicus</i>	Sæther et Wang, 1996	HT, PT	m, f, p
76	<i>Pseudorthocladius</i>	<i>amplicaudus</i>	Sæther et Sublette, 1983	HT	m
60	<i>Pseudorthocladius</i>	<i>clavatosus</i>	Sæther et Sublette, 1983	HT	m, f
67	<i>Pseudorthocladius</i>	<i>comans</i>	Sæther et Sublette, 1983	HT	m
63	<i>Pseudorthocladius</i>	<i>curticornus</i>	Sæther et Sublette, 1983	HT	m, p
58	<i>Pseudorthocladius</i>	<i>destitutus</i>	Sæther et Sublette, 1983	HT	m
77	<i>Pseudorthocladius</i>	<i>lunatus</i>	Sæther et Sublette, 1983	HT	m
66	<i>Pseudorthocladius</i>	<i>macrovirgatus</i>	Sæther et Sublette, 1983	HT, PT	m
78	<i>Pseudorthocladius</i>	<i>morsei</i>	Sæther et Sublette, 1983	HT	m
65	<i>Pseudorthocladius</i>	<i>paravirgatus</i>	Sæther et Sublette, 1983	HT	m
59	<i>Pseudorthocladius</i>	<i>rectilobus</i>	Sæther et Sublette, 1983	HT	m
61	<i>Pseudorthocladius</i>	<i>tricanthus</i>	Sæther et Sublette, 1983	HT	m, p
62	<i>Pseudorthocladius</i>	<i>uniserratus</i>	Sæther et Sublette, 1983	HT, PT	m, p, l
64	<i>Pseudorthocladius</i>	<i>virgatus</i>	Sæther et Sublette, 1983	HT, PT	m, p
68	<i>Pseudorthocladius</i>	<i>wingoi</i>	Sæther et Sublette, 1983	HT	m
48	<i>Psilometriocnemus</i>	<i>cristatus</i>	Sæther, 1982	HT, PT	m, f, p, l
	<i>Quiniella</i>	<i>lii</i>	Wang et Sæther, 1998	PT	m
97	<i>Rheocricotopus</i>	<i>amplicristatus</i>	Sæther, 1985f	HT, PT	m
96	<i>Rheocricotopus</i>	<i>conflusirius</i>	Sæther, 1985f	HT	m
98	<i>Rheocricotopus</i>	<i>effusoides</i>	Sæther, 1985f	HT	m, f, p, l
	<i>Rheocricotopus</i>	<i>eminellobus</i>	Sæther, 1969	PT	f
	<i>Rheocricotopus</i>	<i>himalayensis</i>	Chaudhuri et Sinharay, 1983	PT	m
	<i>Rheocricotopus</i>	<i>kenorensis</i>	Sæther, 1969	PT	m
	<i>Rheocricotopus</i>	<i>nemoacrostichalis</i>	Chaudhuri et Sinharay, 1983	PT	m
	<i>Rheocricotopus</i>	<i>pauciseta</i>	Sæther, 1969	PT	m
	<i>Rheocricotopus</i>	<i>reducens</i>	Sæther et Schnell, 1988a	HT, PT	m, p
116	<i>Rheocricotopus</i>	<i>unidentatus</i>	Sæther et Schnell, 1988a	HT, PT	m, f, p, l
117	<i>Rheocricotopus</i>	<i>valgus</i>	Chaudhuri et Sinharay, 1983	PT	m
	<i>Rheocricotopus</i>	<i>calviculus</i>	Wang et Sæther, 2001	HT	m
	<i>R. (Psilocricotopus)</i>	<i>halvorseni 5)</i>	Cranston et Saether, 1986	HT, PT	m, f
95	<i>Rheosmittia</i>	<i>amplicristata</i>	Halvorsen, 1982	HT, PT	m, f
54	<i>Sætheriella</i>	<i>clinopecten</i>	Sæther, 1982	HT, PT	m, f, p
50	<i>Stilocladius</i>	<i>calvata</i>	Sæther, 1983c	HT	m
80	<i>Sublettiella</i>	<i>cristacula</i>	Sæther, 1992b	HT	m
120	<i>Tavastia</i>	<i>montana</i>	Wang et Sæther, 1993c	PT	m
	<i>Thalassosmittia</i>	<i>pilinucha</i>	Sæther, 1985a	HT	m
94	<i>Thienemannia</i>	<i>boltoni</i>	Hestenes et Sæther, 2000	HT, PT	m, f, l
269	<i>Thienemanniella</i>	<i>lobapodema</i>	Hestenes et Sæther, 2000	HT, PT	m, p
270	<i>Thienemanniella</i>	<i>sanctivincenta</i>	Sæther, 1981c	HT, PT	m, f, p
36	<i>Thienemanniella</i>	<i>semifimbriata 6)</i>	Sæther, 1981c	HT, PT	m, f, p
35	<i>Thienemanniella</i>	<i>taurocapita</i>	Hestenes et Sæther, 2000	HT, PT	m, f, p, l
347	<i>Thienemanniella</i>	<i>taihuensis 7)</i>	Wen, Zhou et Rong, 1994	PT	f
	<i>Tokunagayusurika</i>	<i>anderseni</i>	Sæther et Wang, 1992	HT, PT	m
149	<i>Tokyobrillia</i>	<i>multivirga</i>	Sæther, 1982	HT, PT	m
52	<i>Unniella</i>	<i>abclusus</i>	Schnell et Sæther, 1988	HT	m, p
107	<i>Vivacricotopus</i>	<i>burmanensis</i>	Oliver, 1985	PT	m
	<i>Xylotopus</i>	<i>lingulata lingulata</i>	Sæther, 1976	PT	m, f
	<i>Zalutschia</i>	<i>lingulata pauca</i>	Sæther, 1976	PT	m, f, p, l
	<i>Zalutschia</i>	<i>pusa</i>	Sæther, 1976	PT	f, p
	<i>Zalutschia</i>	<i>trigonacies</i>	Sæther, 1976	PT	m, f, p, l
	<i>Zalutschia</i>	<i>vockerothi</i>	Sæther, 1976	PT	m, p
<b>CHIRONOMINAE</b>					
		<b>Chironomini</b>			
359	<i>Axarus</i>	<i>froelichi</i>	Andersen et Mendes, 2002a	HT, PT	m
170	<i>Beardius</i>	<i>aciculatus</i>	Andersen et Sæther, 1996	HT, PT	m
171	<i>Beardius</i>	<i>lingulatus</i>	Andersen et Sæther, 1996	HT, PT	m
	<i>Beardius</i>	<i>parcus</i>	Reiss et Sublette, 1985	PT	m
172	<i>Beardius</i>	<i>triangulatus</i>	Andersen et Sæther, 1996	HT, PT	m
	<i>Cyphomella</i>	<i>gibbera</i>	Sæther, 1977a	PT	m, p
248	<i>Friederia</i>	<i>villosa</i>	Sæther et Andersen, 1998	HT, PT	m
	<i>Harnishia</i>	<i>turgidula</i>	Wang et al., 1993	HT	m
84	<i>Oschia</i>	<i>dorsenna 8)</i>	Sæther, 1983a	HT, PT	m

	<i>Microchironomus</i>	<i>clarilatus</i>	Guha et Chaudhuri, 1981	PT	m
311	<i>Nilothauma</i>	<i>acre</i>	Adam et Sæther, 1999	HT	m
263	<i>Nilothauma</i>	<i>anderseni</i>	Adam et Sæther, 1999	HT	m
261	<i>Nilothauma</i>	<i>ankasense</i>	Adam et Sæther, 1999	HT	m
260	<i>Nilothauma</i>	<i>burmeisteri</i>	Adam et Sæther, 1999	HT, PT	m
257	<i>Nilothauma</i>	<i>duminola</i>	Adam et Sæther, 1999	HT, PT	m
264	<i>Nilothauma</i>	<i>flabellatum</i>	Adam et Sæther, 1999	HT, PT	m
258	<i>Nilothauma</i>	<i>fuscinia</i>	Adam et Sæther, 1999	HT	m
262	<i>Nilothauma</i>	<i>insolita</i>	Adam et Sæther, 1999	HT	m
	<i>Nilothauma</i>	<i>harrisoni</i>	Adam et Sæther, 1999	PT	m
265	<i>Nilothauma</i>	<i>kakumense</i>	Adam et Sæther, 1999	HT	m
310	<i>Nilothauma</i>	<i>mergae</i>	Adam et Sæther, 1999	HT, PT	m
	<i>Nilothauma</i>	<i>sasai</i>	Adam et Sæther, 1999	PT	m
259	<i>Nilothauma</i>	<i>verrucum</i>	Adam et Sæther, 1999	HT, PT	m
267	<i>Paranilothauma</i>	<i>strebulosa</i>	Adam et Sæther, 2000	HT	m
	<i>Polypedilum</i>	<i>insolitum</i>	Chaudhuri et al., 1981	PT	m
	<i>Polypedilum</i>	<i>nudiceps</i>	Chaudhuri et al., 1981	PT	m
	<i>Polypedilum</i>	<i>obscurum</i>	Chaudhuri et al., 1981	PT	f
254	<i>P. (Cerobregma)</i>	<i>bulbo caudatum</i>	Sæther et Sundal, 1999	HT, PT	m
255	<i>P. (Cerobregma)</i>	<i>subulatum</i>	Sæther et Sundal, 1999	HT	m
256	<i>P. (Cerobregma)</i>	<i>volselligum</i>	Sæther et Sundal, 1999	HT, PT	m, f
371	<i>P. (Tripodura)</i>	<i>akanii</i>	Bjørlo, 2002 in Vårdal et al. 2002	HT, PT	m
366	<i>P. (Tripodura)</i>	<i>amplificatus</i>	Bjørlo, 2002 in Vårdal et al. 2002	HT, PT	m
365	<i>P. (Tripodura)</i>	<i>chaelum</i>	Vårdal, 2002 in Vårdal et al. 2002	HT	m
372	<i>P. (Tripodura)</i>	<i>dagombae</i>	Bjørlo, 2002 in Vårdal et al. 2002	HT	m
369	<i>P. (Tripodura)</i>	<i>ewei</i>	Bjørlo, 2002 in Vårdal et al. 2002	HT, PT	m
370	<i>P. (Tripodura)</i>	<i>ogooouense</i>	Bjørlo, 2002 in Vårdal et al. 2002	HT	m
367	<i>P. (Tripodura)</i>	<i>patulum</i>	Bjørlo, 2002 in Vårdal et al. 2002	HT	m
368	<i>P. (Tripodura)</i>	<i>spinalveum</i>	Vårdal, 2002 in Vårdal et al. 2002	HT, PT	m
275	<i>P. (Uresipedilum)</i>	<i>acutulum</i>	Oyewo et Sæther, 1998	HT	m
278	<i>P. (Uresipedilum)</i>	<i>anderseni</i>	Oyewo et Sæther, 1998	HT, PT	m
274	<i>P. (Uresipedilum)</i>	<i>dossenudum</i>	Oyewo et Sæther, 1998	HT, PT	m
277	<i>P. (Uresipedilum)</i>	<i>gladysae</i>	Oyewo et Sæther, 1998	HT, PT	m
273	<i>P. (Uresipedilum)</i>	<i>harrisoni</i>	Oyewo et Sæther, 1998	HT	m
276	<i>P. (Uresipedilum)</i>	<i>kakumense</i>	Oyewo et Sæther, 1998	HT, PT	m
272	<i>P. (Uresipedilum)</i>	<i>plautum</i>	Oyewo et Sæther, 1998	HT, PT	m
271	<i>P. (Uresipedilum)</i>	<i>spinibojum</i>	Oyewo et Sæther, 1998	HT, PT	m
	<i>Robackia</i>	<i>pilicauda</i>	Sæther, 1977a	PT	m
85	<i>Saetheria</i>	<i>hirta</i>	Sæther, 1983a	HT	f, p, l
	<i>Shangomyia</i>	<i>impectinata</i>	Sæther et Wang, 1993	PT	f
251	<i>Xestochironomus</i>	<i>aisenensis</i>	Andersen et Kristoffersen, 1998	HT, PT	m, f
252	<i>Xestochironomus</i>	<i>laselvensis</i>	Andersen et Kristoffersen, 1998	HT	m
	<i>Xiaomyia</i>	<i>aequipedes</i>	Sæther et Wang, 1993	PT	m
	<i>Zhouomyia</i>	<i>plauta</i>	Sæther et Wang, 1993	PT	m
	<b>CHIRONOMINAE</b>				
247	<i>Manoa</i>	<b>Pseudochironomini</b>			
	<i>Pseudochironomus</i>	<i>tangae</i>	Andersen et Sæther, 1997	HT, PT	m, f
	<i>Pseudochironomus</i>	<i>articaudus</i>	Sæther, 1977a	PT	m
		<i>badius</i>	Sæther, 1977a	PT	m
	<b>CHIRONOMINAE</b>	<b>Tanytarsini</b>			
	<i>Cladotanytarsus</i>	<i>multispinulus</i>	Guha et al., 1985	PT	m
	<i>Neostempellina</i>	<i>thienemanni</i>	Reiss, 1984a	PT	m
	<i>Parapsectra</i>	<i>mendli</i>	Reiss, 1983	PT	m
317	<i>Rheotanytarsus</i>	<i>abonae</i>	Kyerematen, 2000 in Kyerematen et al. 2000	HT	m
			Kyerematen et Sæthe,r 2000	HT, PT	m
313	<i>Rheotanytarsus</i>	<i>acuminatus</i>	Kyerematen et Sæther, 2000	HT, PT	m
319	<i>Rheotanytarsus</i>	<i>aqilus</i>	Kyerematen et Sæther, 2000	HT, PT	m
320	<i>Rheotanytarsus</i>	<i>atrius</i>	Kyerematen et Sæther, 2000	HT, PT	m
336	<i>Rheotanytarsus</i>	<i>baculus</i>	Kyerematen et Andersen, 2002	HT, PT	m
329	<i>Rheotanytarsus</i>	<i>beccus</i>	Kyerematen et al., 2000	HT	m
338	<i>Rheotanytarsus</i>	<i>buculicaudus</i>	Kyerematen, 2000 in Kyerematen	HT, PT	m

			et al. 2000		
346	<i>Rheotanytarsus</i>	<i>calakmulensis</i>	Kyerematen et Andersen, 2002	PT	m
	<i>Rheotanytarsus</i>	<i>contrerasi</i>	Andersen et Sæther, 2000 <i>in</i>		
322	<i>Rheotanytarsus</i>	<i>digitatus</i>	Kyerematen et al. 2000	HT, PT	m, p
334	<i>Rheotanytarsus</i>	<i>falcatus</i>	Kyerematen et Sæther, 2000	HT, PT	m
328	<i>Rheotanytarsus</i>	<i>falcipedus</i>	Kyerematen et al., 2000	HT, PT	m, f
337	<i>Rheotanytarsus</i>	<i>foliatus</i>	Kyerematen et al., 2000	HT, PT	m
342	<i>Rheotanytarsus</i>	<i>guanacastensis</i>	Kyerematen et Andersen, 2002	HT, PT	m
341	<i>Rheotanytarsus</i>	<i>hanseni</i>	Kyerematen et Andersen, 2002	HT, PT	m
323	<i>Rheotanytarsus</i>	<i>jongkindi</i>	Kyerematen et Sæther, 2000	HT	m
321	<i>Rheotanytarsus</i>	<i>kjaeranderseni</i>	Kyerematen et Sæther, 2000	HT, PT	m, f, p, l
333	<i>Rheotanytarsus</i>	<i>koraensis</i>	Kyerematen et al., 2000	HT, PT	m
326	<i>Rheotanytarsus</i>	<i>kuantanensis</i>	Kyerematen et al., 2000	HT, PT	m
338	<i>Rheotanytarsus</i>	<i>kusii</i>	Kyerematen et Andersen, 2002	HT	m
316	<i>Rheotanytarsus</i>	<i>longicornus</i>	Kyerematen et Sæther, 2000	HT	f, p
339	<i>Rheotanytarsus</i>	<i>minusculus</i>	Kyerematen, 2000 <i>in</i> Kyerematen et al. 2000	HT	m
339	<i>Rheotanytarsus</i>	<i>nuamae</i>	Kyerematen et Andersen, 2002	HT	m
	<i>Rheotanytarsus</i>	<i>orientalis</i>	Moubayed, 1989	HT	m
330	<i>Rheotanytarsus</i>	<i>pallidus</i>	Kyerematen et al., 2000	HT, PT	m
	<i>Rheotanytarsus</i>	<i>pantanensis</i>	Andersen et Kyerematen, 2001	PT	m
331	<i>Rheotanytarsus</i>	<i>phaselus</i>	Kyerematen et al., 2000	HT	m
314	<i>Rheotanytarsus</i>	<i>plerunguis</i>	Kyerematen et Sæther, 2000	HT, PT	m
343	<i>Rheotanytarsus</i>	<i>ramirezae</i>	Kyerematen et Andersen, 2002	HT, PT	m, p
315	<i>Rheotanytarsus</i>	<i>remus</i>	Kyerematen et Sæther, 2000	HT	m
324	<i>Rheotanytarsus</i>	<i>sessilipersonatus</i>	Kyerematen et al., 2000	HT	m
340	<i>Rheotanytarsus</i>	<i>scutulatus</i>	Kyerematen et Andersen, 2002	HT, PT	m
325	<i>Rheotanytarsus</i>	<i>soelii</i>	Kyerematen et al., 2000	HT	m
344	<i>Rheotanytarsus</i>	<i>subtilis</i>	Kyerematen et Andersen, 2002	HT, PT	m
124	<i>Rheotanytarsus</i>	<i>thailändensis</i>	Moubayed, 1990	HT	m
335	<i>Rheotanytarsus</i>	<i>thunesi</i>	Kyerematen et Andersen, 2002	HT, PT	m
318	<i>Rheotanytarsus</i>	<i>transversus</i>	Kyerematen et Sæther, 2000	HT, PT	f, p
327	<i>Rheotanytarsus</i>	<i>verticillus</i>	Kyerematen et al., 2000	HT	m
266	<i>Seppia</i>	<i>trifurca</i>	Ekrem et Sæther 1999	HT, PT	m
	<i>Skutzia</i>	<i>gaianni</i>	Andersen, 2000	PT	m
353	<i>Tanytarsus</i>	<i>ankasaensis</i>	Ekrem, 2001	HT	m
364	<i>Tanytarsus</i>	<i>calorifontis</i>	Ekrem, 2002	HT, PT	m, p
	<i>Tanytarsus</i>	<i>elisabethae</i>	Ekrem, 2001	PT	m, f, p, l
	<i>Tanytarsus</i>	<i>harei</i>	Ekrem, 2001	PT	m
304	<i>Tanytarsus</i>	<i>kakumensis</i>	Ekrem, 1999	HT	m
351	<i>Tanytarsus</i>	<i>mancospinosus</i>	Ekrem et Reiss, 1999		
	<i>Tanytarsus</i>	<i>minimus</i>	<i>in</i> Ekrem et al. 1999	HT, PT	m, f, p, l
	<i>Tanytarsus</i>	<i>minutipalpus</i>	Guha et al., 1985	PT	m
	<i>Tanytarsus</i>	<i>monospinosus</i>	Ekrem et Harrison, 1999	PT	m, f
305	<i>Tanytarsus</i>	<i>pseudocongus</i>	Ekrem et Reiss, 1999	PT	m
306	<i>Tanytarsus</i>	<i>saetheri</i>	Ekrem, 1999	HT, PT	m
307	<i>Tanytarsus</i>	<i>spiesi</i>	Ekrem, 1999	HT	m
308	<i>Tanytarsus</i>	<i>superpenicillatus</i>	Ekrem, 1999	HT, PT	m
125	<i>Tanytarsus</i>	<i>thaicus</i>	Moubayed, 1990	HT, PT	m, p
309	<i>Tanytarsus</i>	<i>tossai</i>	Ekrem, 1999	HT, PT	m
	<i>Tanytarsus</i>	<i>tumultuarius</i>	Ekrem et Reiss, 1999	PT	m
352	<i>Tanytarsus</i>	<i>usambarae</i>	Stur et Ekrem, 2000	HT, PT	m
	<i>Virgatanytarsus</i>	<i>ansatus</i>	Reiss, 1984b	PT	m

## Notes

The following species has been synonymised or placed in other genera:

- 1) *L. hudsoni* Sæther, 1975 was synonymised with *L. minimus* (Meigen) by Sæther (1990).
- 2) *L. nudiradius* Sæther, 1975 was synonymised with *L. natalensis* (Kieffer) by Sæther (1990).
- 3) *L. spatulosus* Sæther, 1975 was synonymised with *L. brachytomus* (Kieffer) by Sæther (1990).
- 4) *Phycoidella* Sæther, 1971 is a junior synonym of *Acamptocladius* Brundin (Cranston & Sæther 1982)
- 5) *Rheosmittia halvorseni* Cranston & Sæther, 1986 belongs in *Krenosmittia* Thienemann & Krüger (Tuiskunen & Lideberg 1986).
- 6) A separate genus *Onconeura* Andersen et Sæther has been erected for *T. semifimbriata* Sæther, 1981 and new, related species (Andersen & Sæther, in press).
- 7) *Tokunagayusurika* Sasa, 1978 is a junior synonym of *Propsilocerus* Kieffer (Sæther & Wang 1996).
- 8) *Oschia* Sæther, 1983 is a junior synonym of *Kloosia* Kruseman (Cranston et al. 1989).

## Acknowledgement

We are indebted to Prof. Ole A. Sæther for reading and correcting the present list repeatedly. Funding for compiling the list was given by the 'Det alminnelige naturvitenskapelige forskningsfond,' (The general natural science research fund), University of Bergen.

## References

- ADAM, J.I. & SÆTHER, O.A. 1999. Revision of the genus *Nilothauma* Kieffer, 1921 (Diptera: Chironomidae). - *Ent. scand., Suppl.* **56**: 1-107.
- ADAM, J.I. & SÆTHER, O.A. 2000. *Paranilothauma stebulosa* sp.n. from Costa Rica (Diptera: Chironomidae). Pp. 19-23 in: Hoffrichter, O. (ed.): *Late 20th century research on Chironomidae: an anthology from the 13th international symposium on Chironomidae*. - Shaker Verl., Aachen, 661 pp.
- ANDERSEN, T. 1996a. New Species of *Diplosmittia* Sæther, 1981 from Costa Rica (Chironomidae, Orthocladiinae). - *Acta zool. Hung.* **42**: 127-132.
- ANDERSEN, T. 1996b. A new species of *Monodiamesa* Kieffer, 1922 from southern Chile (Diptera: Chironomidae: Prodiamesinae). - *Rev. Chilena Ent.* **23**: 43-49.
- ANDERSEN, T. 2000. A new species of *Skutzia* Reiss, 1985 (Chironomidae: Tanytarsini) from Henri Pittier National Park, Venezuela. - *Bol. Entomol. Venez.* **15**: 119-125.
- ANDERSEN, T. & CONTRERAS-RAMOS, A. 1999. First record of *Antilocladius* Sæther from continental South America (Chironomidae, Orthocladiinae). - *Acta zool. Hung.* **45**: 149-154.
- ANDERSEN, T. & KRISTOFFERSEN, L. 1998. New species of *Xestochironomus* Sublette and Wirth (Chironomidae: Chironominae) from Chile and Costa Rica. - *J. Kansas ent. Soc.* **71**: 296-303.
- ANDERSEN, T. & KYEREMATEN, R.A.K. 2001. South American *Rheotanytarsus* Thienemann et Bause, with the description of one new species (Diptera: Chironomidae). - *Norw. J. Entomol.* **48**: 269-274.
- ANDERSEN, T. & MENDES, H.F. 2002a. New species and records of the *Axarus "rogersi-* group" from South and Central America (Diptera, Chironomidae). - *Acta zool. Hung.* **48**: 79-84.
- ANDERSEN, T. & MENDES, H.F. 2002b. Neotropical and Mexican *Mesosmittia* Brundin, with the description of four new species (Insecta, Diptera, Chironomidae). - *Spixiana* **25**: 55-69.
- ANDERSEN, T. & SCHNELL, Ø.A. 2000. New species of *Bryophaenocladius* Thienemann, 1934 from Tanzania, with bare squama (Diptera: Chironomidae). - *Aquat. Insects* **22**: 48-57.
- ANDERSEN, T. & SÆTHER, O.A. 1993a. *Colosmittia clavata* gen.n., sp.n., a new orthoclad from the West Usambara Mountains, Tanzania (Diptera: Chironomidae). - *J. Kansas ent. Soc.* **66**: 439-443.
- ANDERSEN, T. & SÆTHER, O.A. 1993b. *Lerheimia*, a new genus of Orthocladiinae from Africa (Diptera, Chironomidae). - *Spixiana* **16**: 105-112.
- ANDERSEN, T. & SÆTHER, O.A. 1994a. *Usambaromyia nigrala* gen.n., sp.n., and *Usambaromyiinae*, a new subfamily among the Chironomidae (Diptera). - *Aquat. Insects* **16**: 21-29.
- ANDERSEN, T. & SÆTHER, O.A. 1994b. The first record of *Buchonomyia* Fittkau and the subfamily Buchonomyiinae from the New World (Diptera: Chironomidae). Pp. 363-367 in: P. Cranston (ed.): *Chironomids: from genes to ecosystems*. - CSIRO Australia, 482 pp.
- ANDERSEN, T. & SÆTHER, O.A. 1996. New species and records of *Beardius* Reiss et Sublette (Diptera: Chironomidae). - *Annls Limnol.* **32**: 33-44.
- ANDERSEN, T. & SÆTHER, O.A. 1997. First record of *Manoa* Fittkau and the tribe Pseudochironomini Sæther from the Afrotropical region (Diptera: Chironomidae: Chironomiae). - *Ent. scand.* **28**: 311-317.
- ANDERSEN, T. & SÆTHER, O.A. (in press). *Onconeura*, a new Neotropical orthoclad genus (Diptera: Chironomidae). - *Mem. Inst. Oswaldo Cruz* **00**: 00-00.

- ANDERSEN, T. & WANG, X. 1997. Darkwinged *Heleniella* Gowin, 1943 from Thailand and China (Insecta, Diptera, Chironomidae, Orthocladiinae). - *Spixiana* **20**: 151-160.
- ARMITAGE, P.D. 1985. A new species of the genus *Limnophyes* Eaton from S.E. England (Diptera, Chironomidae). In: Fittkau, E.J. (ed.): Beiträge zur Systematik der Chironomidae, Diptera. - *Spixiana, Suppl.* **11**: 139-142.
- BRUNDIN, L. & SÆTHER, O.A. 1978. *Buchonomyia burmanica* sp.n. and Buchonomyiinae, a new subfamily among the Chironomidae (Diptera). - *Zool. Scr.* **7**: 269-275.
- CHAUDHURI, P.K., DAS, S.K. & DEBNATH, R.K. 1984. Studies of the Indian Tanyopodinae (Diptera, Chironomidae) genus *Tanypus* Meigen. - *Bull. Ent. Pologne* **55**: 99-109.
- CHAUDHURI, P.K., & DEBNATH, R.K. 1984. A Coelotanypodine midge (Diptera: Chironomidae) from West Bengal, India. - *Burdwan Univ. J. Sc.* **1**: 1-4.
- CHAUDHURI, P.K., DEBNATH, R.K. & NANDI, S.K. 1983. Tanyopodine midges of the genus *Ablabesmyia* Johannsen (Diptera: Chironomidae) from West Bengal with note on their seasonal incidence and sex ratios. - *J. Nat. Hist.* **17**: 901-917.
- CHAUDHURI, P.K. & GHOSH, M. 1980. The Orthocladiinae (Diptera: Chironomidae) of India. Genus *Cricotopus* van der Wulp. - *Aquat. Insects* **2**: 147-152.
- CHAUDHURI, P.K. & GHOSH, M. 1981. A new genus of podonomine midge (Chironomidae) from Bhutan. - *Syst. Ent.* **6**: 373-376.
- CHAUDHURI, P.K. & GHOSH, M. 1982. Record of *Chaetocladius* Kieffer (Diptera: Chironomidae) from India. - *Folia ent. Hung.* **63**: 5-7.
- CHAUDHURI, P.K., GUHA, D.K. & DAS GUPTA, S.K. 1981. Taxonomic studies of Chironominae (Diptera, Chironomidae) from India. The genus *Polypedilum* Kieffer. - *Tijdschr. Ent.* **124**: 111-147.
- CHAUDHURI, P.K. & SINHARAY, D.C. 1983. A study on Orthocladiinae (Diptera, Chironomidae) of India. The genus *Rheocricotopus* Thienemann and Harnisch. - *Ent. Basiliensis* **8**: 398-407.
- CHAUDHURI, P.K. & SINHARAY, D.C. 1987. A study on Orthocladiinae (Diptera, Chironomidae) of India. Part V, genus *Paraphaenocladius* Thienemann. - *Bull. Ent.* **28**: 95-103.
- CRANSTON, P.S. & EDWARD, D.H.D. 1999. *Botryocladus* gen.n.: a new transantarctic genus of orthocladiine midge (Diptera: Chironomidae). - *Syst. Ent.* **24**: 305-333.
- CRANSTON, P.S. & OLIVER, D.R. 1988. Aquatic xylophagous Orthocladiinae - systematics and ecology (Diptera: Chironomidae). - *Spixiana* **14**: 143-154.
- CRANSTON, P.S. & SÆTHER, O.A. 1982. A redefinition of *Acampocladius* Brundin, 1956 (syn. *Phycoidella* Sæther, 1971, n.syn.) (Diptera: Chironomidae), with the description of *A. reissi* n.sp. - *Ent. scand.* **13**: 25-32.
- CRANSTON, P.S. & SÆTHER, O.A. 1986. *Rheosmittia* (Diptera: Chironomidae): a generic validation and revision of the western Palaearctic species. - *J. Nat. Hist.* **20**: 31-51.
- EKREM, T. 1999. Six new *Tanytarsus* species from Ghana, West Africa (Insecta, Diptera, Chironomidae). - *Spixiana* **22**: 53-68.
- EKREM, T. 2001. A review of Afrotropical *Tanytarsus* van der Wulp (Diptera: Chironomidae). - *Tijdschr. Ent.* **144**: 5-40.
- EKREM, T. 2002. A review of selected South- and East Asian *Tanytarsus* v.d. Wulp (Diptera: Chironomidae). - *Hydrobiologia* **00**: 00-00.
- EKREM, T. & HARRISON, A.D. 1999. *Tanytarsus minutipalpus*, spec. nov. from the saline lakes in the Rift Valley, East Africa (Insecta, Diptera, Chironomidae). - *Spixiana* **22**: 199-208.
- EKREM, T. & REISS, F. 1999. Two new *Tanytarsus* species (Diptera: Chironomidae) from Brazil, with reduced median volsella. - *Aquat. Insects* **21**: 1-9.
- EKREM, T., REISS, F. & LANGTON, P.H. 1999. *Tanytarsus mancospinosus* sp.n. (Diptera: Chironomidae) from eutrophic lakes in Europe. - *Norw. J. Entomol.* **46**: 79-87.
- EKREM, T. & SÆTHER, O.A. 1999. *Seppia*, a new Afrotropical tanytarsine genus (Diptera: Chironomidae). Pp. 79-87 in: HOFFRICHTER, O. (ed.): *Late 20th century research on Chironomidae: an anthology from the 13th international symposium on Chironomidae*. - Shaker Verl., Aachen, 661 pp.
- FERRINGTON, L.C., Jr. & SÆTHER, O.A. 1987. Male, female, pupa and biology of *Oliveridida hugginsi* n.sp. (Chironomidae: Diptera) from Kansas. - *J. Kansas ent. Soc.* **60**: 451-461.
- FERRINGTON, L.C., Jr. & SÆTHER, O.A. 1994. Afrotropical species of *Parakiefferiella* Thienemann, with a review of species with palpal projections (Chironomidae: Diptera). Pp. 369-377 in: P. Cranston (ed.): *Chironomids: from genes to ecosystems*. - CSIRO Australia, 482 pp.
- FITTKAU, E.J. & MURRAY, D.A. 1983. *Pentaneurella katterjokki*, eine neue Gattung und Art der Tanyopodinae (Dipt. Chironomidae). - *Nachtbl. Bayerischen Ent.* **32**: 57-63.
- GHOSH, M. & CHAUDHURI, P.K. 1983. Indian species of the genus *Bryophaenocladius* Thienemann (Diptera: Chironomidae). - *J. Beng. nat. Hist. Soc.* **2**: 27-33.
- GUHA, D.K. & CHAUDHURI, P.K. 1981. *Microchironomus clarilatus* sp. nov. (Diptera, Chironomidae) from West Bengal, India. - *Bull. zool. Surv. India* **4**: 143-145.
- GUHA, D.K., DAS, S.K., CHAUDHURI, P.K. & CHAUDHURI, D.K. 1985. Chironomid midges of the Andaman Islands (Diptera: Chironomidae). - *Proc. Nat. Acad. Sci. India* **55**: 22-38.
- HALVORSEN, G.A. 1982. *Saetheriella amplicristata* gen.n., sp.n., a new Orthocladiinae (Diptera: Chironomidae) from Tennessee. - *Aquat. Insects* **4**: 131-136.
- HESTENES, T.C. & SÆTHER, O.A. 2000. Three new Nearctic *Thienemanniella* Kieffer species with a review of the Nearctic species. Pp. 103-127 in: Hoffrichter, O. (ed.): *Late 20th century research on Chironomidae: an anthology from the 13th*

- international Symposium on Chironomidae. - Shaker Verl., Aachen, 661 pp.
- KYEREMATEN, R.A.K. & ANDERSEN, T. 2002. *Rheotanytarsus* Thienemann et Bause (Diptera: Chironomidae) from Central America and Mexico. - *Stud. Neotrop. Fauna Env.* **37**: 23-51.
- KYEREMATEN, R.A.K., ANDERSEN, T. & SÆTHER, O.A. 2000. A review of Oriental *Rheotanytarsus* Thienemann et Bause, with descriptions of some new species (Insecta, Diptera, Chironomidae). - *Spixiana* **23**: 225-258.
- KYEREMATEN, R.A.K. & SÆTHER, O.A. 2000. A review of Afrotropical *Rheotanytarsus* Thienemann et Bause, 1913 (Diptera: Chironomidae). - *Tijdschr. Ent.* **143**: 27-69.
- KYEREMATEN, R.A.K., SÆTHER, O.A. & ANDERSEN, T. 2000. A review of the *Rheotanytarsus pellucidus* group (Diptera: Chironomidae). Pp. 147-170 in: Hoffrichter, O. (ed.): *Late 20th century research on Chironomidae: an anthology from the 13th international symposium on Chironomidae*. - Shaker Verl., Aachen, 661 pp.
- LANGTON, P. & COBO, F. 1997. *Metriocnemus (Inermipupa) carmencitabertarum* subgen.n., sp.n. (Diptera: Chironomidae) from Spain and Portugal. - *Entomologist's Gaz.* **48**: 263-271.
- LANGTON, P.H. & MOUBAYED, J. 2001. *Limnophyes roquehautensis* sp.n. and *L. inanispatina* sp.n. from southern France (Diptera, Chironomidae). - *Nouv. Rev. Ent.* **18**: 3-8.
- MOUBAYED, Z. 1989. Descriptions of five new species of Chironomidae (Dipt., Chironomidae) from the Near East and the Oriental region. - *Acta biol. Debr. oecol. Hung.* **2**: 275-283.
- MOUBAYED, Z. 1990. Chironomids from running waters of Thailand: description of *Rheotanytarsus thailandensis* sp.n. and *Tanytarsus thaicus* sp.n. (Dipt., Chironomidae). - *Hydrobiologia* **203**: 29-33.
- OLIVER, D.R. 1977. *Bicinctus*-group of the genus *Cricotopus* Van der Wulp (Diptera: Chironomidae) in the Nearctic with a description of a new species. - *J. Fish. Res. Bd Can.* **34**: 98-104.
- OLIVER, D.R. 1981. Description of *Euryhapsis* new genus including three new species (Diptera: Chironomidae). - *Can. Ent.* **113**: 711-722.
- OLIVER, D.R. 1984. Description of a new species of *Cricotopus* Van der Wulp (Diptera: Chironomidae) associated with *Myriophyllum spicatum*. - *Can. Ent.* **116**: 1287-1292.
- OLIVER, D.R. 1985. Review of *Xylotopus* Oliver and description of *Irisobrillia* n.gen. (Diptera: Chironomidae). - *Can. Ent.* **117**: 1093-1110.
- OLIVER, D.R. & ROUSSEL, M.E. 1983. Redescription of *Brillia* Kieffer (Diptera: Chironomidae) with descriptions of Nearctic species. - *Can. Ent.* **115**: 257-279.
- OYEWO, E.A. & SÆTHER, O.A. 1998. Revision of Afrotropical *Polydendrum* Kieffer subgen. *Uresipedium* Sasa et Kikuchi, 1995 (Diptera: Chironomidae), with a review of the subgenus. - *Annls Limnol.* **34**: 315-362.
- REISS, F. 1983. *Parapsectra mendli* n.sp. (Diptera, Chironomidae) aus dem Allgäu, Bayern. - *Spixiana* **6**: 79-81.
- REISS, F. 1984a. *Neostempellina thienemanni* n.gen., n.sp., eine europäische Chironomide mit gehäusetragenden Larven (Diptera, Chironomidae). - *Spixiana* **7**: 203-210.
- REISS, F. 1984b. *Virgatanytarsus ansatus* n.sp. aus Mitteleuropa und Nordafrika (Diptera, Chironomidae). - *Spixiana* **7**: 319-322.
- REISS, F. & SUBLETTE, J.E. 1985. *Beardius* new genus with notes on additional Pan-American taxa (Diptera, Chironomidae). - *Spixiana, Suppl. 11*: 179-193.
- SÆTHER, O.A. 1969. Some Nearctic Podonominae, Diamesinae, and Orthocladiinae (Diptera: Chironomidae). - *Bull. Fish. Res. Bd Can.* **170**: 1-154.
- SÆTHER, O.A. 1971. Four new and unusual Chironomidae (Diptera). - *Can. Ent.* **103**: 1799-1827.
- SÆTHER, O.A. 1973. Taxonomy and ecology of three new species of *Monodiamesa* Kieffer, with keys to Nearctic and Palaearctic species of the genus (Diptera: Chironomidae). - *J. Fish. Res. Bd Can.* **30**: 665-679.
- SÆTHER, O.A. 1975a. Two new species of *Protanypus* Kieffer, with keys to Nearctic and Palaearctic species of the genus (Diptera: Chironomidae). - *J. Fish. Res. Bd Can.* **32**: 367-388.
- SÆTHER, O.A. 1975b. Two new species of *Heterotanytarsus* Spärck, with keys to Nearctic and Palaearctic males and pupae of the genus (Diptera: Chironomidae). - *J. Fish. Res. Bd Can.* **32**: 259-270.
- SÆTHER, O.A. 1975c. Nearctic and Palaearctic *Heterotrissocladius* (Diptera: Chironomidae). - *Bull. Fish. Res. Bd Can.* **193**: 1-67.
- SÆTHER, O.A. 1975d. Twelve new species of the *Limnophyes* Eaton, with keys to Nearctic males of the genus (Diptera: Chironomidae). - *Can. Ent.* **107**: 1029-1056.
- SÆTHER, O.A. 1976. Revision of *Hydrobaenus*, *Trissocladius*, *Zalutschia*, *Paratrisocladius* and some related genera (Diptera: Chironomidae). - *Bull. Fish. Res. Bd Can.* **195**: 1-287.
- SÆTHER, O.A. 1977a. Taxonomic studies on Chironomidae: *Nanocladius*, *Pseudochironomus* and the *Harnischia* complex. - *Bull. Fish. Res. Bd Can.* **196**: 1-143.
- SÆTHER, O.A. 1977b. *Habrobaenus hudsoni* n.gen., n.sp. and the immatures of *Baeoctenus bicolor* Sæther (Diptera: Chironomidae). - *J. Fish. Res. Bd Can.* **34**: 2354-2361.
- SÆTHER, O.A. 1980. The females and immatures of *Paracricotopus* Thienemann and Harnisch, 1932, with the description of a new species (Diptera: Chironomidae). - *Aquat. Insects* **2**: 129-145.
- SÆTHER, O.A. 1981a. *Compteromesa oconeensis* gen. n., sp. n., a New Prodiamesinae (Diptera: Chironomidae) from South Carolina. - *Aquat. Insects* **3**: 193-198.
- SÆTHER, O.A. 1981b. *Doncricotopus bicaudatus* n.gen., n.sp. (Diptera: Chironomidae):

- Orthocladiinae) from the Northwest Territories, Canada. - *Ent. scand.* **12**: 223-229.
- SÆTHER, O.A. 1981c. Orthocladiinae (Diptera: Chironomidae) from the British West Indies with descriptions of *Antillocladius* n.gen., *Lipurometriocnemus* n.gen., *Compterosmittia* n.gen., and *Diplosmittia* n.gen. - *Ent. scand.*, *Suppl.* **16**: 1-46.
- SÆTHER, O.A. 1982. Orthocladiinae (Diptera: Chironomidae) from SE U.S.A., with descriptions of *Phudsonia*, *Unniella* and *Platysmittia* n.genera and *Atelopodella* n. subgen. - *Ent. scand.* **13**: 465-510.
- SÆTHER, O.A. 1983a. *Oschia dorsenna* n.gen., n.sp. and *Saetheria hirta* n.sp., two new members of the *Harnischia* complex (Diptera: Chironomidae). - *Ent. scand.* **24**: 395-404.
- SÆTHER, O.A. 1983b. Three new species of *Lopescladius* Oliveira, 1967 (syn. "Cordites" Brundin, 1966, n.syn.), with a phylogeny of the *Parakiefferiella* group. - *Mem. Amer. Ent. Soc.* **34**: 279-298.
- SÆTHER, O.A. 1983c. A review of Holarctic *Gymnometriocnemus* Goetghebuer, 1932, with the description of *Raphidocladius* subgen.n. and *Sublettiella* gen.n. (Diptera: Chironomidae). - *Aquat. Insects* **5**: 209-226.
- SÆTHER, O.A. 1985a. Redefinition and review of *Thienemannia* Kieffer, 1909 (Diptera: Chironomidae), with the description of *T. pilinucha* sp.n. - *Aquat. Insects* **7**: 111-131.
- SÆTHER, O.A. 1985b. A review of *Odontomesa* Pagast, 1947 (Diptera: Chironomidae). - *Spixiana, Suppl.* **11**: 15-29.
- SÆTHER, O.A. 1985c. *Limnophyes er* sp.n. (Diptera: Chironomidae, Orthocladiinae) from Finland, with nearctic records of previously described species. - *Ent. scand.* **15**: 540-544.
- SÆTHER, O.A. 1985d. The imagines of *Mesosmittia* Brundin, 1956, with description of seven new species (Diptera, Chironomidae). - *Spixiana, Suppl.* **11**: 37-54.
- SÆTHER, O.A. 1985e. *Diplosmittia carinata* spec. nov. from Michigan (Diptera, Chironomidae). - *Spixiana, Suppl.* **11**: 55-57.
- SÆTHER, O.A. 1985f. A review of the genus *Rheocricotopus* Thienemann & Harnisch, 1932, with description of three new species (Diptera, Chironomidae). - *Spixiana, Suppl.* **11**: 59-108.
- SÆTHER, O.A. 1985g. Male and female imagines of *Platysmittia bilyji* sp. n. (Diptera: Chironomidae) from Manitoba, Canada. - *Ent. scand.* **15**: 527-531.
- SÆTHER, O.A. 1985h. *Apometriocnemus fontinalis* gen.n. sp.n. (Diptera: Chironomidae, Orthocladiinae) from Tennessee, U.S.A. - *Ent. scand.* **15**: 536-539.
- SÆTHER, O.A. 1985i. *Heleniella parva* sp.n. (Diptera: Chironomidae) from South Carolina and Tennessee, U.S.A. - *Ent. scand.* **15**: 532-535.
- SÆTHER, O.A. 1989a. *Metriocnemus* van der Wulp: a new species and a revision of species described by Meigen, Zetterstedt, Staeger, Holmgren, Lundström and Strenzke (Diptera: Chironomidae). - *Ent. scand.* **19**: 393-430.
- SÆTHER, O.A. 1989b. Two new species of *Hydrobaenoides* Fries from Massachusetts, U.S.A. and Japan (Diptera: Chironomidae). - *Ent. scand.* **20**: 55-63.
- SÆTHER, O.A. 1990. A review of the genus *Limnophyes* Eaton from the Holarctic and Afrotropical regions (Diptera: Chironomidae, Orthocladiinae). - *Ent. scand., Suppl.* **35**: 1-139.
- SÆTHER, O.A. 1992a. First Palaearctic record of the orthoclad *Phudsonia* Sæther (Diptera: Chironomidae). - *Ent. scand.* **22**: 379-384.
- SÆTHER, O.A. 1992b. First Nearctic record of the orthoclad genus *Tavastia* Tuiskunen (Diptera: Chironomidae). - *Ent. scand.* **22**: 385-388.
- SÆTHER, O.A. 1992c. *Heterotriassocladius boltoni* sp.n., a new orthoclad from vernal pools and streams in Ohio, U.S.A. (Diptera: Chironomidae). - *Neth. J. Aquat. Ecol.* **26**: 191-196.
- SÆTHER, O.A. 1995. *Metriocnemus* van der Wulp: seven new species, revision of species, and new records (Diptera: Chironomidae). - *Annls limnol.* **31**: 35-64.
- SÆTHER, O.A. 1996. Afrotropical records of the orthoclad genus *Mesosmittia* Brundin (Insecta, Diptera, Chironomidae). - *Spixiana, Suppl.* **11**: 37-54.
- SÆTHER, O.A. & ANDERSEN, T. 1993. *Lobosmittia*, a new genus of orthoclads from Tanzania and Turkey (Diptera: Chironomidae). - *Tijdschr. Ent.* **136**: 283-287.
- SÆTHER, O.A. & ANDERSEN, T. 1995. *Ionthosmittia caudiga* n.gen. n.sp., a new orthoclad from the Usambara Mts, Tanzania (Diptera, Chironomidae). - *Trop. Zool.* **8**: 197-202.
- SÆTHER, O.A. & ANDERSEN, T. 1996. First Afrotropical records of *Doithrix* and *Georthocladius*, with notes on the *Pseudorthocladius* group (Diptera: Chironomidae). - *Tijdschr. Ent.* **139**: 243-256.
- SÆTHER, O.A. & ANDERSEN, T. 1998. *Friederia*, a new Afrotropical tanytarsine genus (Diptera: Chironomidae). - *Ent. scand.* **29**: 29-37.
- SÆTHER, O.A. & ANDERSEN, T. 1999. *MollerIELLA*, a new terrestrial orthoclad genus from the Netherlands (Diptera: Chironomidae). - *Acta zool. Hung.* **45**: 161-168.
- SÆTHER, O.A. & SCHNELL, Ø.A. 1988a. Two new species of the *Rheocricotopus* (*R.*) *effusus* group (Diptera, Chironomidae). - *Spixiana, Suppl.* **14**: 65-74.
- SÆTHER, O.A. & SCHNELL, Ø.A. 1988b. *Heterotriassocladius brundini* spec. nov. from Norway (Diptera, Chironomidae). - *Spixiana, Suppl.* **14**: 57-64.
- SÆTHER, O.A. & SUBLETTE, J. 1983. A review of the genera *Doitrix* n.gen., *Georthocladius* Strenzke, *Parachaetocladius* Wülker and *Pseudorthocladius* Goetghebuer (Diptera: Chironomidae, Orthocladiinae). - *Ent. scand., Suppl.* **20**: 1-100.
- SÆTHER, O.A. & SUNDAL, A. 1999. *Cerobregma*, a new subgenus of *Polypedilum* Kieffer, with a tentative phylogeny of subgenera and species groups within *Polypedilum* (Diptera:

- Chironomidae). - *J. Kansas ent. Soc.* **71**: 315-382.
- SÆTHER, O.A. & WANG, X. 1993. *Xiaomyia*, *Shangomyia* and *Zhouomyia*, three new and unusual genera of Chironomini from Oriental China (Diptera: Chironomidae). - *Ent. scand.* **24**: 185-195.
- SÆTHER, O.A. & WANG, X. 1995. Revision of the genus *Paraphaenocladius* Thienemann, 1924 of the world (Diptera: Chironomidae, Orthocladiinae). - *Ent. scand., Suppl.* **48**: 1-69.
- SÆTHER, O.A. & WANG, X. 1996. Revision of the orthoclad genus *Propsilocerus* Kieffer (= *Tokunagayusurika* Sasa) (Diptera: Chironomidae). - *Ent. scand.* **27**: 441-479.
- SÆTHER, O.A. & WILLASSEN, E. 1987. Four new species of *Diamesa* Meigen, 1835 (Diptera: Chironomidae) from the glaciers of Nepal. - *Ent. scand., Suppl.* **29**: 189-203.
- SÆTHER, O.A. & WILLASSEN, E. 1988. A review of *Lappodiamesa* Serra Tosio, with the description of *L. boltoni* from Ohio, U.S.A. (Diptera: Chironomidae). - *Spixiana, Suppl.* **14**: 75-84.
- SCHNELL, Ø.A. 1991. A new species of *Bryophaenocladius* Thienemann (Diptera: Chironomidae) from Norway with emendations to the diagnoses of the genus. - *Ent. scand.* **21**: 435-443.
- SCHNELL, Ø.A. & SÆTHER, O.A. 1988. *Vivacricotopus*, a new genus of Orthocladiinae from Norway (Diptera, Chironomidae). - *Spixiana, Suppl.* **14**: 49-55.
- SOPONIS, A.R. 1990. A revision of the Holarctic species of *Orthocladius* (*Euorthocladius*) (Diptera: Chironomidae). - *Spixiana, Suppl.* **13**: 1-56.
- STUR, E. & ANDERSEN, T. 2000. A new *Physoneura* Ferrington et Sæther, 1995, from Ecuador (Chironomidae, Orthocladiinae). - *Norw. J. Entomol.* **47**: 131-136.
- STUR, E. & EKREM, T. 2000. *Tanytarsus usambarae*, spec. nov. from West Usambara Mts., Tanzania, East Africa. - *Spixiana* **23**: 219-223.
- TUISKUNEN, J. & LINDEBERG, B. 1986. Chironomidae (Diptera) from Fennoscandia north of 68°N, with a description of ten new species and two new genera. - *Ann. zool. fenn.* **23**: 361-393.
- VÅRDAL, H., BJØRLO, A. & SÆTHER, O.A. 2002. Afrotropical *Polypedilum* subgenus *Tripodura*, with a review of the subgenus (Diptera: Chironomidae). - *Zool. Scr.* **31**: 00-00.
- WANG, X. 1998. *Compterosmittia virga*, a new species from China (Diptera: Chironomidae). - *Acta ent. sin.* **41**: 95-97.
- WANG, X. & HALVORSEN, G.A. 2002. A new *Eukiefferiella* Thienemann, 1926 from Northeast China (Diptera, Chironomidae). - *Aquat. Insects* **24**: 123-128.
- WANG, X. & SÆTHER, O.A. 1992. *Euryhapsis fuscipropes* sp.n. from China and *Tokyobrillia anderseni* sp.n. from Tanzania, with a review of genera near *Irisobrillia* Oliver (Diptera Chironomidae). - *Annls Limnol.* **28**: 209-223.
- WANG, X. & SÆTHER, O.A. 1993a. First Palaearctic and Oriental records of the orthoclad genus *Antillocladius* Sæther (Diptera: Chironomidae). - *Ent. scand.* **24**: 227-230.
- WANG, X. & SÆTHER, O.A. 1993b. *Limnophyes* Eaton from the China, with the description of five new species (Diptera: Chironomidae). - *Ent. scand.* **24**: 215-226.
- WANG, X. & SÆTHER, O.A. 1993c. A new species of the 'marine' genus *Thalassosmittia* Strenzke & Remmert from Xizang (Tibet), China (Diptera: Chironomidae). - *Ent. scand.* **24**: 211-214.
- WANG, X. & SÆTHER, O.A. 1998. *Quiniella*, a new orthoclad genus from China (Diptera: Chironomidae). - *Hydrobiologia* **362**: 103-106.
- WANG, X. & SÆTHER, O.A. 2001. Two new species of the *orientalis* group of *Rheocricotopus* (*Psilocricotopus*) from China (Diptera: Chironomidae). - *Hydrobiologia* **444**: 237-240.
- WANG, X. & SÆTHER, O.A. 2002. *Hanocladius*, a new orthoclad genus from China (Diptera: Chironomidae). - *Hydrobiologia* **468**: 181-183.
- WANG, X., SÆTHER, O.A. & ANDERSEN, T. 2001. Afrotropical *Bryophaenocladius* Thienemann, 1934 (Diptera: Chironomidae). - *Stud. dipt.* **8**: 447-462.
- WANG, X., ZHENG, L. & JI, B. 1993. A taxonomic study on Chironominae from China III. Genus *Harnischia* Kieffer. - *Acta zootaxon. sin.* **18**: 459-465.
- WANG, X., ZHENG, L. & JI, B. 1994. A taxonomic study on Orthocladiinae (Diptera: Chironomidae) of China: II. Genus *Brillia* Kieffer. - *Acta ent. sin.* **37**: 359-363.
- WEN, T., ZHOU, C. & RONG, Y. 1994. Description of the new species *Togunagayusurika taihuensis* (Diptera: Chironomidae). - *Entomotaxonomia* **16**: 205-212. (In Chinese with English summary.)
- WIDERHOLM, T. 1975. Description of *Protanypus saetheri* n.sp. from Alaska (Diptera: Chironomidae). - *Ent. scand.* **6**: 224-228.
- WILLASSEN, E. 1985. A review of *Diamesa davisi* Edwards and the *davisi* group. - *Spixiana, Suppl.* **11**: 109-137.
- WILLASSEN, E. 1996. A nival *Bryophaenocladius* Thienemann, 1934, with reduced wings (Insecta: Diptera: Chironomidae). - *Ann. Naturhist. Mus. Wien* **98**: 507-512.
- WILLASSEN, E. & CRANSTON, P.S. 1986. Afrotropical montane midges (Diptera, Chironomidae, *Diamesa*). - *Zool. J. Linn. Soc.* **87**: 91-123.