

Supplementary material

Table S1: Taxa collected from an intermittent site on the Credit River with abundance, frequency, and emergence pattern information.

Taxon	Total abundance	Samples	Years	Pattern	Months collected
Tanypodinae					
<i>Ablabesmyia mallochi</i>	6	4	2	Summer	Jul, Aug, Sep
<i>Ablabesmyia monilis</i>	5	4	3	Summer/Fall	May, Jun, Sep
<i>Conchapelopia (Conchapelopia) dusena</i>	39	16	6	Summer	May, Jun, Jul, Aug, Sep
<i>Conchapelopia (Conchapelopia) rurika</i>	126	26	6	Summer/Fall	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Conchapelopia (Conchapelopia) telema</i>	8	5	4	Summer	May, Jun, Jul
<i>Conchapelopia (Helopelopia) cornuticaudata</i>	3	2	2	Summer	May, Jul
<i>Labrundinia pilosella</i>	10	8	5	Irregular	Jun, Jul, Aug, Sep, Oct
<i>Larsia decolorata</i>	1	1	1	Summer	Aug
<i>Larsia indistincta</i>	1	1	1	Fall	Sep
<i>Nilotanypus fimbriatus</i>	39	10	3	Summer	May, Jun, Jul, Aug
<i>Procladius (Holotanypus) RWB pe9</i>	5	3	2	Fall	Sep, Oct
<i>Procladius (Holotanypus) RWB pe10</i>	1	1	1	Fall	Sep
<i>Procladius (Holotanypus) RWB pe11</i>	12	5	3	Summer/Fall	May, Jun, Aug, Sep
<i>Zavrelimyia (Paramerina) sp.</i>	3	2	2	Summer	Jun, Jul
Prodiamesinae					
<i>Odontomesa fulva</i>	2	2	2	Summer/Fall	May, Jul
Diamesinae					
<i>Diamesa chiobates</i>	3	1	1	Winter	Mar
<i>Diamesa heteropus</i>	9	3	3	Spring	May
<i>Diamesa mendotae</i>	4	4	3	Winter/Spring	Mar, Apr, May
<i>Diamesa nivoriunda</i>	21	10	5	Winter/Spring	Jan, Feb, Mar, Apr, May, Nov
<i>Potthastia RWB pe1</i>	4	2	2	Summer	May, Jun
Orthocladiinae					
<i>Allocladius RWB pe1</i>	5	1	1	Spring	May
<i>Brillia flavifrons</i>	2	2	1	Summer	May, Jul
<i>Bryophaenocladus sp.</i>	2	2	2	Summer	Jun
<i>Chaetocladus RWB pe2</i>	1	1	1	Fall	Nov
<i>Chaetocladus RWB pe5</i>	105	4	3	Spring	Mar, Apr

Taxon	Total abundance	Samples	Years	Pattern	Months collected
<i>Chaetocladius</i> RWB pe6	1	1	1	Fall	Oct
<i>Corynoneura</i> RWB pe1	752	40	6	Continuous	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Corynoneura</i> RWB pe2	48	12	4	Irregular	May, Jun, Jul, Sep, Oct, Nov
<i>Corynoneura</i> RWB pe3	123	15	5	Summer	May, Jun, Jul, Aug, Sep
<i>Corynoneura</i> RWB pe4	322	35	6	Summer/Fall	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Corynoneura</i> RWB pe5	7	5	5	Summer/Fall	Jun, Jul, Sep, Oct, Nov
<i>Cricotopus (Cricotopus) bicinctus</i>	596	37	6	Continuous	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Cricotopus (Cricotopus) trifascia</i>	62	13	5	Irregular	May, Jun, Jul, Oct, Nov
<i>Cricotopus (Cricotopus) vierriensis</i>	69	9	5	Summer/Fall	May, Jun, Sep, Oct
<i>Cricotopus (Cricotopus) RWB pe4</i>	213	28	6	Summer/Fall	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Cricotopus (Cricotopus) RWB pe5</i>	96	20	6	Summer	Apr, May, Jun, Jul, Oct
<i>Cricotopus (Cricotopus) RWB pe6</i>	1	1	1	Fall	Oct
<i>Cricotopus (Cricotopus) RWB pe12</i>	1	1	1	Spring	May
<i>Cricotopus (Isocladius) sylvestris</i>	20	8	3	Irregular	Apr, May, Jun, Oct, Nov
<i>Diplocladius</i> sp.	2	2	2	Spring/Fall	Apr, Oct
<i>Doncricotopus bicaudatus</i>	7	4	4	Summer	May, Jul, Aug
<i>Eukiefferiella claripennis</i>	50	19	6	Irregular	Apr, May, Jun, Jul, Oct, Nov
<i>Eukiefferiella ilkleyensis</i>	2	2	2	Spring	May
<i>Eukiefferiella</i> RWB pe2	585	34	6	Continuous	Apr, May, Jun, Aug, Sep, Oct, Nov
<i>Hydrobaenus nivoriundus</i>	90	3	3	Spring	Apr
<i>Hydrobaenus pillipes</i>	862	33	6	Continuous	Mar, Apr, May, Sep, Oct, Nov
<i>Hydrobaenus</i> RWB pe1	1141	12	6	Spring	Apr, May
<i>Limnophyes</i> sp.	114	22	5	Irregular	May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Nanocladius (Nanocladius) crassicornis</i>	9	5	4	Summer	Jun, Jul, Aug
<i>Nanocladius (Nanocladius) distinctus</i>	6	4	4	Summer	Jun, Aug
<i>Nanocladius (Nanocladius) rectinervis</i>	168	27	6	Summer/Fall	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Nanocladius (Nanocladius) spiniplenus</i>	385	37	6	Spring/Summer	Apr, May, Jun, Jul, Aug, Sep, Oct
<i>Nanocladius (Nanocladius) RWB pe1</i>	5	4	4	Summer	May, Jun, Jul
<i>Orthocladius (Euorthocladius) abiskoensis</i>	207	16	6	Irregular	Apr, May, Sep, Oct, Nov
<i>Orthocladius (Orthocladius) carlatus</i>	155	12	6	Summer	Apr, May, Jun, Jul
<i>Orthocladius (Orthocladius) clarkei</i>	144	6	5	Spring	Apr, May
<i>Orthocladius (Orthocladius) mallochi</i>	571	34	6	Spring/Fall	Apr, May, Jun, Aug, Sep, Oct, Nov
<i>Orthocladius (Orthocladius) manitobensis</i>	1	1	1	Spring	Apr
<i>Orthocladius (Orthocladius) nigrinus</i>	2	2	2	Spring	May
<i>Orthocladius (Orthocladius) obumbratus</i>	622	33	6	Spring/Fall	Apr, May, Jun, Sep, Oct, Nov

Taxon	Total abundance	Samples	Years	Pattern	Months collected
<i>Orthocladius (Orthocladius) oliveri</i>	1041	33	6	Continuous	Mar, Apr, May, Sep, Oct, Nov
<i>Orthocladius (Orthocladius) robacki</i>	2	1	1	Summer	Jun
<i>Orthocladius (Orthocladius) wiensi</i>	1	1	1	Summer	Jun
<i>Parakiefferiella</i> RWB pe1	6	2	2	Irregular	Jun, Oct
<i>Parakiefferiella</i> RWB pe3	58	20	5	Irregular	Apr, May, Jun, Aug, Sep, Oct, Nov
<i>Parametriocnemus</i> RWB pe1	748	42	6	Continuous	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Parametriocnemus</i> RWB pe3	8	3	2	Irregular	May, Aug, Sep
<i>Parametriocnemus</i> RWB pe4	204	21	6	Continuous	May, Jun, Jul, Aug, Sep, Oct
<i>Paraphaenocladius exagitans</i>	9	8	3	Irregular	May, Jun, Sep, Oct, Nov
<i>Paraphaenocladius nasthecus</i>	1	1	1	Summer	Jun
<i>Psectrocladius (Mesopsectrocladius)</i> RWB pe1	5	4	3	Irregular	May, Aug, Oct
<i>Psectrocladius (Psectrocladius)</i> RWB pe2	1	1	1	Spring	May
<i>Pseudosmittia forcipata</i>	1	1	1	Fall	Sep
<i>Rheocricotopus (Psilocricotopus)</i> RWB pe1	21	10	5	Irregular	Jun, Jul, Sep
<i>Rheocricotopus (Psilocricotopus)</i> RWB pe2	21	1	1	Fall	Sep
<i>Rheocricotopus (Rheocricotopus)</i> RWB pe1	4	3	1	Fall	Sep, Oct, Nov
<i>Rheocricotopus</i> RWB pe1	3	2	2	Summer	Jun
<i>Rheocricotopus</i> RWB pe2	3	1	1	Fall	Sep
<i>Smittia</i> sp.	1	1	1	Fall	Nov
<i>Thienemanniella similis</i>	2	2	1	Spring/Summer	Apr, Jun
<i>Thienemanniella taurocapita</i>	12	8	3	Spring/Summer	May, Jun, Jul
<i>Thienemanniella</i> RWB pe1	1108	46	6	Continuous	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Tvetenia</i> RWB pe1	414	37	6	Continuous	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
Chironominae					
Chironomini					
<i>Chironomus</i> RWB pe1	19	7	3	Irregular	May, Jun, Sep
<i>Chironomus</i> RWB pe2	8	3	1	Summer/Fall	May, Sep
<i>Chironomus</i> RWB pe4	1	1	1	Spring	Apr
<i>Chironomus</i> RWB pe11	19	1	1	Summer	Jun
<i>Cryptochironomus</i> RWB pe1	48	20	6	Summer	May, Jun, Jul, Aug, Sep
<i>Cryptochironomus</i> RWB pe4	2	1	1	Summer	Jun
<i>Cryptochironomus</i> RWB pe7	1	1	1	Fall	Sep
<i>Demeijerea</i> sp.	1	1	1	Spring	May
<i>Dicrotendipes fumidus</i>	6	4	3	Summer	May, Jun
<i>Dicrotendipes</i> RWB pe2	18	4	3	Irregular	May, Jul, Sep

Taxon	Total abundance	Samples	Years	Pattern	Months collected
<i>Dicrotendipes</i> RWB pe6	1	1	1	Spring	May
<i>Dicrotendipes</i> RWB pe7	1	1	1	Spring	Apr
<i>Dicrotendipes</i> RWB pe9	11	6	5	Irregular	May, Jun, Jul, Aug, Sep
<i>Endochironomus nigricans</i>	7	6	5	Irregular	May, Jun, Aug, Sep
<i>Glyptotendipes</i> NA2	1	1	1	Summer	Jun
<i>Kribiodorum</i> sp.	1	1	1	Fall	Sep
<i>Microtendipes</i> RWB pe1	252	16	5	Summer	May, Jun, Jul, Aug, Sep
<i>Microtendipes</i> RWB pe2	98	8	4	Summer	May, Jun, Jul
<i>Parachironomus</i> RWB pe2	12	7	5	Irregular	May, Jun, Aug, Sep
<i>Parachironomus</i> RWB pe3	5	4	3	Irregular	Jun, Sep
<i>Parachironomus</i> RWB pe4	6	2	2	Summer	Jun
<i>Parachironomus</i> RWB pe5	4	3	1	Irregular	May, Sep
<i>Paratendipes albimanus</i>	47	15	5	Irregular	May, Jun, Jul, Aug, Sep
<i>Paratendipes</i> RWB pe2	2	2	2	Irregular	May, Jun
<i>Phaenopsectra</i> RWB pe1	15	8	5	Summer	Jun, Jul, Sep
<i>Phaenopsectra</i> RWB pe2	5	3	2	Fall	Aug, Sep
<i>Phaenopsectra</i> RWB pe4	1	1	1	Summer	Aug
<i>Polypedilum (Pentapedilum) sordens</i>	5	3	1	Irregular	May, Sep
<i>Polypedilum (Polypedilum) bergi</i>	1	1	1	Summer	Aug
<i>Polypedilum (Polypedilum) falciforme</i>	1	1	1	Fall	Sep
<i>Polypedilum (Polypedilum) fallax</i>	4	3	2	Irregular	May, Jun, Jul
<i>Polypedilum (Polypedilum) illinoense/angulum</i>	146	17	5	Summer/Fall	May, Jun, Jul, Aug, Sep, Oct
<i>Polypedilum (Polypedilum) laetum</i>	21	2	2	Irregular	Jul, Sep
<i>Polypedilum (Polypedilum) nymphaeorum</i>	4	2	2	Irregular	May, Aug
<i>Polypedilum (Tripodura) RWB pe1</i>	35	8	4	Summer	Jun, Jul, Aug
<i>Polypedilum (Tripodura) RWB pe2</i>	118	8	4	Irregular	May, Jun, Jul, Aug
<i>Polypedilum (Uresipedilum) aviceps</i>	2	2	2	Summer	Jun, Jul, Sep, Oct
<i>Polypedilum (Uresipedilum) obtusum</i>	2	1	1	Summer	May, Jun, Jul, Aug, Sep
<i>Polypedilum</i> RWB pe1	1	1	1	Spring	May
<i>Polypedilum</i> RWB pe2	4	2	2	Spring	May
<i>Polypedilum</i> RWB pe4	102	15	5	Spring	May
<i>Polypedilum</i> RWB pe8	276	17	5	Spring	May
<i>Saetheria</i> RWB pe1	1	1	1	Summer	Jul
<i>Saetheria tylus</i>	6	6	5	Summer	May, Jul, Aug
<i>Stenochironomus</i> RWB pe3	16	10	6	Summer	May, Jun, Jul, Aug

Taxon	Total abundance	Samples	Years	Pattern	Months collected
<i>Stictochironomus</i> RWB pe2	1	1	1	Winter	Mar
<i>Xenochironomus</i> sp.	14	2	1	Summer	Jul
Chironomini Genus C sp.	1	1	1	Fall	Oct
Tanytarsini					
<i>Cladotanytarsus</i> RWB pe1	60	19	6	Irregular	Apr, May, Jun, Jul, Aug, Sep
<i>Cladotanytarsus</i> RWB pe2	1	1	1	Summer	Jun
<i>Cladotanytarsus</i> RWB pe10	1	1	1	Summer	Aug
<i>Cladotanytarsus</i> RWB pe11	1	1	1	Summer	Aug
<i>Micropsectra</i> cf. <i>neoappendica</i>	22	10	5	Irregular	May, Jun, Jul, Oct, Nov
<i>Micropsectra</i> <i>logani</i>	1	1	1	Spring	May
<i>Micropsectra</i> <i>nigripila</i>	395	38	6	Continuous	Apr, May, Jun, Jul, Sep, Oct, Nov
<i>Micropsectra</i> <i>penicillata</i>	2	1	1	Spring	May
<i>Micropsectra</i> <i>polita</i>	57	15	6	Irregular	Apr, May, Jun, Jul, Sep, Oct, Nov
<i>Paratanytarsus inopertus</i> gr. RWB pe1	220	28	6	Continuous	Apr, May, Jun, Jul, Aug, Sep, Oct
<i>Paratanytarsus inopertus</i> gr. RWB pe2	25	8	5	Summer	May, Jun, Jul, Aug
<i>Paratanytarsus inopertus</i> gr. RWB pe3	68	15	5	Summer/Fall	May, Jun, Jul, Sep, Oct, Nov
<i>Paratanytarsus laccophilus</i>	2	2	2	Spring	Apr, May
<i>Paratanytarsus penicillatus</i> gr. RWB pe1	1	1	1	Fall	Sep
<i>Rheotanytarsus distinctissimus</i>	1	1	1	Spring	May
<i>Rheotanytarsus exiguus</i>	230	23	6	Summer	May, Jun, Jul, Aug, Sep, Oct
<i>Tanytarsus lobiger</i>	215	20	6	Irregular	Jun, Jul, Aug, Sep, Oct, Nov
<i>Tanytarsus neoflavellus</i>	3	2	1	Summer	Jun
<i>Tanytarsus sepp</i>	12	6	3	Irregular	Jun, Jul, Aug, Sep
<i>Tanytarsus wirthi</i>	3	3	3	Irregular	May, Aug, Sep
<i>Tanytarsus</i> RWB pe1	38	14	5	Irregular	May, Jun, Jul, Aug, Sep, Nov
<i>Tanytarsus</i> RWB pe10	218	24	6	Summer	Apr, May, Jun, Jul, Aug, Sep, Oct, Nov
<i>Tanytarsus</i> RWB pe11	26	5	3	Irregular	May, Aug, Sep
<i>Tanytarsus</i> RWB pe12	61	10	4	Irregular	May, Jun, Jul, Aug, Sep
<i>Tanytarsus</i> RWB pe16	8	2	2	Summer	Jun
<i>Tanytarsus</i> RWB pe19	1	1	1	Summer	Jun
<i>Tanytarsus</i> RWB pe23	5	3	2	Fall	Sep

Table S2: Comparison of taxa emerging from the intermittent and perennial sites on the Credit River in 2004

Taxon	Intermittent	Perennial
Tanypodinae		
<i>Ablabesmyia mallochi</i>	4	
<i>Ablabesmyia monilis</i>	1	
<i>Conchapelopia (Conchapelopia) dusena</i>	14	4
<i>Conchapelopia (Conchapelopia) rurika</i>	8	1
<i>Conchapelopia (Conchapelopia) telema</i>	5	
<i>Conchapelopia (Helopelopia) cornuticaudata</i>	2	1
<i>Labrundinia pilosella</i>	2	2
<i>Larsia</i> sp.		1
<i>Nilotanypus fimbriatus</i>	14	10
<i>Procladius Holotanypus</i> RWB pe11	4	
<i>Procladius</i> RWB pe9		5
<i>Zavrelimyia (Paramerina)</i> sp.	2	
Prodiamesinae		
<i>Odontomesa fulva</i>	1	7
Diamesinae		
<i>Diamesa heteropus</i>	4	
<i>Diamesa mendotae</i>	1	151
<i>Diamesa nivoriunda</i>	2	194
Orthocladiinae		
<i>Allocladius</i> RWB pe1	5	
<i>Brillia flavifrons</i>		22
<i>Chaetocladius</i> RWB pe2		54
<i>Chaetocladius</i> RWB pe3		2
<i>Chaetocladius</i> RWB pe5		27
<i>Corynoneura</i> RWB pe1	276	326
<i>Corynoneura</i> RWB pe2	38	
<i>Corynoneura</i> RWB pe3	49	23
<i>Corynoneura</i> RWB pe4	25	122
<i>Corynoneura</i> RWB pe5	1	
<i>Cricotopus (Cricotopus) bicinctus</i>	172	147
<i>Cricotopus (Cricotopus) trifascia</i>	12	83
<i>Cricotopus (Cricotopus) vierriensis</i>	2	3
<i>Cricotopus (Cricotopus)</i> RWB pe4	22	35
<i>Cricotopus (Cricotopus)</i> RWB pe5	34	23
<i>Cricotopus (Cricotopus)</i> RWB pe 7		2
<i>Cricotopus (Cricotopus)</i> RWB pe12		18
<i>Cricotopus (Isocladius) sylvestris</i>	13	1
<i>Diplocladius</i> sp.	1	7
<i>Doncricotopus bicaudatus</i>	1	23
<i>Eukiefferiella claripennis</i>	8	7
<i>Eukiefferiella ilkleyensis</i>	1	40
<i>Eukiefferiella</i> RWB pe1		19
<i>Eukiefferiella</i> RWB pe2	22	
<i>Hydrobaenus nivoriundus</i>		35
<i>Hydrobaenus pillipes</i>	331	

<i>Hydrobaenus</i> RWB pe1	390	
<i>Limnophyes</i> sp.	41	8
<i>Nanocladius</i> (<i>Nanocladius</i>) <i>crassicornis</i>	1	6
<i>Nanocladius</i> (<i>Nanocladius</i>) <i>distinctus</i>	1	
<i>Nanocladius</i> (<i>Nanocladius</i>) <i>rectinervis</i>	28	32
<i>Nanocladius</i> (<i>Nanocladius</i>) <i>spiniplenus</i>	55	29
<i>Nanocladius</i> (<i>Nanocladius</i>) RWB pe1	1	
<i>Orthocladius</i> (<i>Euorthocladius</i>) <i>abiskoensis</i>	1	
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>carlatus</i>	18	154
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>clarkei</i>	2	2
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>doremus</i>		10
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>mallochi</i>	100	24
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>nigritus</i>		3
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>obumbratus</i>	266	30
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>oliveri</i>	35	16
<i>Orthocladius</i> (<i>Orthocladius</i>) <i>wiensi</i>	1	
<i>Parakiefferiella</i> RWB pe1	2	
<i>Parakiefferiella</i> RWB pe3	14	568
<i>Parametriocnemus</i> RWB pe1	85	49
<i>Parametriocnemus</i> RWB pe3		5
<i>Parametriocnemus</i> RWB pe4	46	30
<i>Paraphaenocladius</i> <i>exagitans</i>	4	
<i>Paraphaenocladius</i> <i>nasthecus</i>	1	
<i>Psectrocladius</i> (<i>Mesopsectrocladius</i>) RWB pe1	3	
<i>Rheocricotopus</i> (<i>Psilocricotopus</i>) RWB pe1	6	112
<i>Rheocricotopus</i> RWB pe1	2	
<i>Thienemanniella</i> <i>taurocapita</i>		250
<i>Thienemanniella</i> RWB pe1	144	469
<i>Tvetenia</i> RWB pe1	151	601
<i>Tvetenia</i> RWB pe3		4
Chironomini		
<i>Chironomus</i> RWB pe1	8	
<i>Chironomus</i> RWB pe2		54
<i>Chironomus</i> RWB pe11	19	
<i>Cryptochironomus</i> <i>ponderosus</i>		1
<i>Cryptochironomus</i> RWB pe1	16	9
<i>Cryptochironomus</i> RWB pe4		4
<i>Dicrotendipes</i> <i>fumidus</i>	1	3
<i>Dicrotendipes</i> <i>modestus/neomodestus</i>		1
<i>Dicrotendipes</i> RWB pe2		1
<i>Dicrotendipes</i> RWB pe9	1	
<i>Endochironomus</i> <i>nigricans</i>	1	
<i>Microtendipes</i> RWB pe1	115	8
<i>Microtendipes</i> RWB pe2	1	56
<i>Parachironomus</i> RWB pe2	4	
<i>Parachironomus</i> RWB pe3	1	
<i>Parachironomus</i> RWB pe4	4	
<i>Paracladopelma</i> <i>undine</i>		9
<i>Paralauterborniella</i> <i>nigrohalterale</i>		23

<i>Paratendipes albimanus</i>		12
<i>Phaenopsectra</i> RWB pe1	1	19
<i>Phaenopsectra</i> RWB pe2		1
<i>Polypedilum (Polypedilum) fallax</i>		2
<i>Polypedilum (Polypedilum) illinoense/angulum</i>	9	6
<i>Polypedilum (Polypedilum) laetum</i>		5
<i>Polypedilum (Tripodura) RWB pe1</i>		53
<i>Polypedilum (Tripodura) RWB pe2</i>	1	
<i>Polypedilum (Uresipedilum) aviceps</i>	37	50
<i>Polypedilum (Uresipedilum) obtusum</i>	5	3
<i>Saetheria tylus</i>	1	1
<i>Stenochironomus</i> RWB pe3		1
<i>Stictochironomus</i> RWB pe1	3	4
Genus C sp.	1	
Tanytarsini		
<i>Cladotanytarsus</i> RWB pe1	4	27
<i>Cladotanytarsus</i> RWB pe2		1
<i>Cladotanytarsus</i> RWB pe3		104
<i>Cladotanytarsus</i> RWB pe4		11
<i>Micropsectra cf. neoappendica</i>	7	
<i>Micropsectra nigripila</i>	160	13
<i>Micropsectra polita</i>	19	7
<i>Paratanytarsus inopertus</i> gr. RWB pe1	10	4
<i>Paratanytarsus inopertus</i> gr. RWB pe2	9	292
<i>Paratanytarsus inopertus</i> gr. RWB pe3	2	
<i>Rheotanytarsus distinctissimus</i>		4
<i>Rheotanytarsus exiguus</i>	22	129
<i>Stempellinella</i> RWB pe1		36
<i>Tanytarsus lobiger</i>	5	73
<i>Tanytarsus sepp</i>	3	5
<i>Tanytarsus wirthi</i>	1	
<i>Tanytarsus</i> RWB pe1	1	3
<i>Tanytarsus</i> RWB pe10	26	112
<i>Tanytarsus</i> RWB pe11	2	
<i>Tanytarsus</i> RWB pe12		43

Figure S1: Photos of the intermittent site during 2005 sampling visits.





